

MARAZZI  **USA**

porcelain • ceramic • glass • mosaics



(2014-2015 residential & commercial catalog)



(company profile)

Marazzi USA plays a key role within the strong global presence of the Marazzi Group by decisively meeting the tile needs of the North American market. Manufacture and sourcing of a vast array of products – glazed ceramics, porcelains, glass mosaics, natural stones, metallics – brings a total tile package that addresses aesthetic and performance requirements of designers, architects and homeowners.

Always leading while learning; always integrating the best approaches in technology, communication and management; always partnering with artists, technicians, entrepreneurs, forward-thinking individuals and companies of various backgrounds, Marazzi is a multinational, multi-cultural, worldwide enterprise that leads the world in ceramic tile manufacture and distribution still based on the vision and systematic strategy of its founder, Filippo Marazzi.

In 1935 Marazzi built his first factory in Sassuolo, Italy on a wooden platform attached to four conveniently located poplar trees. That humble beginning used the best practices of the region's handcrafted terracotta as a basis, then began to develop and incorporate innovative automated production processes that became the foundation for today's ceramic industry leader.

(company-heritage)

Attuned to the nuances of the ceramic industry since he was a young man, Filippo Marazzi, grandson and namesake of the founder, recognized the untapped American market for tile. He boldly focused his pioneering vision for expansion into building the first Italian-owned ceramic manufacturing plant in the U.S.

Solid experience in the European markets and synergy between Italian and domestic leadership launched the Marazzi USA manufacturing plant in

1982 in Sunnyvale, Texas. From the beginning, research and development, sound financial practices and close relationships with our customers brought continual growth, expansion and industry recognition.


For 28 years Marazzi USA has resoundingly met the unique requirements of the expanding American marketplace. Present in all channels of distribution, collaboration with our worldwide partners exponentially expands the product lines, design resources and technological capabilities Marazzi USA brings to its customers.

(company-values)

The corporate values governing Marazzi USA are not just words on paper, but continue to be those principles present at its inception and groundbreaking. Commitment to core values of integrity, fair business practices and ethical treatment of employees, customers and industry partners remains a top priority.

Recognizing that our customers are our primary business partners, every day we intentionally strive to achieve unparalleled customer satisfaction by supplying a broad range of quality products, delivered in a timely manner, with exemplary service at all levels. Recognizing that our products literally come from the earth, we continually practice environmentally-friendly principles of replace, reuse, recycle.

Our constant attention to the ever-changing tile market brings proactive responses to each customer's needs. Strong alliances within the Marazzi Group ensure leading-edge design input from throughout the world; identify and tap into market trends which affect the industry; and facilitate cost containment efficiencies that benefit customers in supply and transportation channels.



(our mission)

Marazzi recognizes that the continued success of our company relies on the well-being of our employees, our communities and the environment. We are committed to pursuing sustainable solutions to modern business challenges that support and regenerate these key elements.


(corporate responsibility)

Regeneration, responsibility and leadership begin from within. In early 2008, partnership with Marazzi employees, non-profit organizations and an internationally recognized sustainability consultancy led to the development of a comprehensive sustainability strategy. Our goal and challenge included looking beyond one aspect of our products to integrate sustainability throughout our organization.

First, we assessed our products for LEED credit contribution; explored ways to increase recycled content and; ensured healthy indoor air quality through VOC testing.

Today, we are moving beyond products to assess the impact of our entire operation. Ultimately, it is the total Marazzi footprint that impacts our planet. From the Marazzi corporate headquarters to our manufacturing facilities, we are quantifying our environmental footprint and benchmarking our corporate social responsibility activities. Through MindClick SGM's 360° Sustainability Audit™ we assessed our products, facilities, corporate social responsibility activities, and customer and employee sustainability practices. This is helping us understand where we excel and how we can positively improve our impact on the planet, our communities, our employees and our customers.

To learn more about Marazzi's Elements initiatives, visit <http://marazzitile.com/sustainable/sustainable>



(earth)

Durability Stability Timelessness

The simple elegance of tile makes it an appealing choice for those who seek the durability, stability and timelessness of the earth element. Since the first medieval tilers stamped custom designs into unglazed clay, tile has remained an essential building material. Resonating with natural beauty, Marazzi tiles embody the essence of Earth. As a building material, tile has an exceptionally low life cycle cost. The typical lifespan of tile is 50 years, and ceramic tile costs less per year than all other floor finishes over the life of a building. From an environmental standpoint, tile excels in the simplicity of its inputs and manufacturing process.

At Marazzi, we strive to incorporate recycled content into all of our products. We also recognize the importance of creating industry-wide regional clay product recycling programs to increase the amount of post consumer waste in new tile products.

(water)

Reliance Luxury Flow

The caress and vitality of water softens, relaxes and energizes, interacting with its surroundings to shape and nourish. Like water, tile is adaptable to its environment. Marazzi tiles create luxurious, resilient and tranquil environments in areas where carpets can't be used. Water is also essential to all life. As we experience global climate shifts and continually increasing population growth, water scarcity is becoming an increasingly critical point of concern.

Because we recognize that we must all do our part to protect and conserve this vital resource, Marazzi reuses 100% of wastewater generated during the manufacturing process.

(sustainability naturally)


As a part of the Marazzi Group, the concept of quality naturally extends to include both social and environmental factors. Marazzi USA believes that these socially significant goals must also be pursued along with objectives related to the quality of its products and services.

Marazzi USA understands that to maintain its role as a leader and educator in the tile industry, a solid commitment to create a corporate sustainability plan is not just important, but necessary. A commitment to sustainability starts at the stakeholder level, and carries through to employees, with engagement on every level.

While marketing channels in every industry are saturated with environmental claims that are truly questionable, we believe it is important to be recognized as a company that contributes recognizable and quantifiable steps towards sustainable action.

Consumer awareness has taken on a new level of sophistication, and sustainable design professionals' expectations are reaching new levels. Credible claims can only be made as a result of significant organization-wide commitments to sustainable leadership.

In seeking to understand the world around them, ancient philosophers categorized matter in terms of water, earth air, and fire. These same primary elements are at the core of our mission to respect, restore, and protect.



(air)

Crisp Clean Pure

Elegant and natural, tile imbues indoor and outdoor spaces with a refined elemental allure. Increasingly clean air is being recognized as a precious and finite resource; tile provides a healthy alternative to other flooring products. The clean lines and solid surfaces of Marazzi tiles make them easier to clean and maintain than other types of floors, contributing to improved indoor air quality, which can positively affect the health and productivity of occupants.

Tile provides a healthy alternative to other flooring products. Inherently, Marazzi tile does not emit any volatile organic compounds, contributing to improved indoor air quality and the health and productivity of your occupants.

To reduce our corporate footprint we are transitioning to the use of recycled materials for our office supplies and developing an environmentally preferable purchasing program for our corporate offices.

(fire)

Innovation Transformation Inspiration

The beauty of Marazzi tile brings inspiration to any project. Like fire transforms clay, Marazzi is committed to transforming our company to be more socially and environmentally responsible. As we embark on the path to increased sustainability, we look to science, the design community, clients and our local communities for insight. We recognize that other tile manufacturers who may ordinarily be viewed competitors are valuable and needed partners in the transformation of our industry. Together we can drive innovation and aggregate demand for more regenerative practices and more energy efficient products.

Because fire is a core element in the manufacturing of Marazzi products, we understand the critical importance of pursuing energy efficiency measures and researching renewable energy sources and emerging reduced-impact production technologies.

keys to symbols

The following symbols were developed to provide a quick easy reference for product selection. Each product page will display these symbols on the top right hand corner.

Tile selections: These symbols allow for quick identification of all types of tile available in each individual product line.

Floor Tile
Tile meets all criteria for use on floors; however, it may also be used on vertical applications such as walls, countertops and fireplace surrounds. See Abrasion Resistance, Coefficient of Friction and Frost Resistance for installation-specific details.

Wall Tile
Tile meets all criteria for use on vertical applications such as walls, backsplashes and fireplace surrounds. See Abrasion Resistance and Frost Resistance for installation-specific details.

Modular Tile
Smaller sized tiles feature standardized units or dimensions and can be installed individually or in conjunction with Field Tile or Wall Tile to create more elaborate, custom patterns.

3d Printing Technique
Marazzi's state-of-the-art 3d printing technique, uses the latest in digital print technology, allowing for infinite design capabilities unique to Marazzi. Marazzi is the only manufacturer in the US that can do digital print up to 360 dpi, direct to tile. At this maximum resolution and with the unique grayscale printing technique, Marazzi reaches finer, crisper and smoother definition for printed designs than other digital products. A stunning palette of more than 100 square feet with no repetition, at maximum resolution.

Rectified Tile
Tile that has had all edges mechanically finished to achieve a more precise facial dimension.

Decorative Tile
Specialty tiles designed to enhance floor and wall tile when used as inserts, borders and special accents.

Trim Available
Various complementary pieces designed to finish edges of field tile.

Suitable for Outdoors
The combination of Frost Resistance and Coefficient of Friction results for this series makes it appropriate for exterior horizontal (flat) surfaces. See ADA criteria for ramps.

Shade Variation: Always view several samples, before making your final selection and before authorizing installation of actual project.

Very Uniform Appearance
Pieces of the same shade value are very uniform and smooth in texture.



V1 Uniform Appearance
Differences among pieces from the same production run are minimal.



V2 Slight Variation
Clearly distinguishable differences in texture and/or pattern within similar colors.



V3 Moderate Variation
While the colors and/or texture present on a single piece of tile will be indicative of the color and/or texture to be expected on the other tiles, the amount of color and/or texture on each piece may vary significantly. It is recommended that the entire range be viewed before selection.



V4 Substantial Variation
Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or textures from that on other tiles. Thus, the final installation will be unique. It is recommended that the entire range be viewed before selection.



Frost Resistant
Industry criteria dictate that tile shall not exceed 5% water absorption to be recognized as frost resistant. To be recognized as Porcelain tile, the water absorption rate cannot exceed 0.50% (impervious). Wall tile must not exceed 20% water absorption and is not frost resistant.

Abrasion Resistance: This set of symbols was created to allow for quick identification of class ratings for durability.

0 Class 0
Tile in this class should not be exposed to wear/traffic or aggressive maintenance practices and is generally used on walls. See Frost Resistance for installation-specific details.

I Class I
Tile in this class may withstand soft-soled foot traffic, provided that dirt and/or other abrasives are not present on the wear surface. Class I tile should not be used in areas with direct access to the outside or large amounts of foot traffic. See Frost Resistance for installation-specific details.

II Class II
Tile in this class may withstand soft-soled and some normal foot traffic provided the dirt and/or other abrasives are kept to a minimum. Class II tile should not be used in areas with direct access to the outside, large amounts of foot traffic, or areas exposed to abnormal footwear. See Coefficient of Friction and Frost Resistance for installation-specific details.

III Class III
Tile in this class may withstand normal footwear and regular traffic, with some dirt and/or other abrasives present in limited quantities. Tile in this class may be used in light commercial installations with limited foot traffic and with no direct access to the outside including residential kitchens and hallways, with limited traffic from the outside. See Coefficient of Friction and Frost Resistance for installation-specific details.

IV Class IV
Tile in this class may withstand heavier amounts of traffic with greater amounts of dirt and/or other abrasives present including commercial kitchens and areas with regular traffic from the outside. See Coefficient of Friction and Frost Resistance for installation-specific details.

V Class V
Tile in this class may withstand constant foot traffic with larger amounts of dirt and/or other abrasives including airports, malls, and other commercial walkways subject to high volumes of foot traffic and constant traffic from the outside. See Coefficient of Friction and Frost Resistance for installation-specific details.













































































































































































Dynamic Coefficient of Friction: Water, oil, grease or other fluids create slippery conditions. When installing floors in areas with exposure to these conditions, a minimum D.C.O.F. value of 0.42 is required. Additionally, extra caution is required with regards to product selection and proper maintenance. Visit www.tcnatile.com for complete information regarding the DCOF Acutest test method and values.

DCOF D.C.O.F. (Wet Areas)
(Minimum 0.42)

Minimum Pre-Consumer Recycled Content

No VOC

residential/commercial index

Series	Page	Floor Tile	Wall Tile	Modular Tile	3D Technology	Rectified Tile	Decorative Tile	Trim Available	Suitable for Outdoors	Shade Variation	Frost Resistant	Abrasion Resistance	DCOF (Wet)	Recycled Content	No VOC
Marazzi USA Profile	3														
Sustainability	4														
Key to Symbols	5-7														
ASTM Test Results	8-9														
Color Reference	10-11														
Residential & Commercial															
Aida	14-15									V1		IV			
American Estates™	16-17					R				V3		IV			
Archaeology	18-19			M						V4		IV			
Arctic Bay	20			M						V2		IV			
Artea Stone	21			M						V2		IV			
Campione	22-23			M						V2		IV			
Cimmaron™	24			M						V3		IV			
Essentials	25									V2		IV			
Fontanella™	26-27					R				V4		IV			
Forest Impressions™	28-29									V2		IV			
Harmony™	30-31					R				V2		III			
i Porfidi di Marazzi	32			M						V3		IV			
Imperial Slate	33			M						V4		IV			
Jade	34-35			M						V4		IV			
Livigno™	36-37									V4		IV			
Lounge14™	38-39					R				V2		IV			
Oxford	40-41									V1		0			
Perseo	42-43					R				V2		II			
Province	44									V2		IV			
Riflessi di Legno	45			M		R				V2		IV			
San Savino™	46-47									V4		IV			


Series	Page	Floor Tile	Wall Tile	Modular Tile	3D Technology	Rectified Tile	Decorative Tile	Trim Available	Suitable for Outdoors	Shade Variation	Frost Resistant	Abrasion Resistance	DCOF (Wet)	Recycled Content	No VOC
Saturnia	48-49									V2		IV			
Silk	50-51									V3		IV			
Soho	52			M		R				V2		IV			
Solaris	53									V4		IV			
Stone Age	54			M						V2		IV			
Stone Collection	55			M		R				V2		IV			
Sumatra	56			M						V2		III			
Super Saltillo	57			M						V3		IV			
Timeless Collection	58-59			M		R				V2		IV			
Tosca	60-61			M						V2		IV			
Treverkchic	62-63					R				V3		IV			
Vesale Stone	64-65			M						V4		IV			
Walnut Canyon	66-67			M						V4		IV			
Decorative Collection															
Caicos™	70-71									V2		0			
Catwalk	72-73									V3		0			
Crystal Stone	74									V2		III			
Crystal Stone II	75									V2		III			
Divine Woods™	76									V1		0			
Metal Mania™	77									V0		0			
Romance Collection	78									V2		0			
Romancing the Stone	79									V2		0			
StudioM	80-81									V2		I			
Decorative Summary	82-85														
Packaging	87-93														
Technical Information	94														

astm test results

	Technology	Water Absorption	Frost Resistance	Scratch Resistance	Breaking Strength	
ANSI Standard		≤ 0.50%	As Reported	MOHS 1-10	≥ 250 lbf.	
Aida	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	7	≥ 420 lbf.	
American Estates™	Color Body Porcelain Stoneware 3D Printing Technique	≤ 0.50%	Resistant	7	≥ 392 lbf.	
Archaeology	Glazed Porcelain Stoneware 3D Printing Technique	≤ 0.50%	Resistant	7	≥ 557 lbf.	
Arctic Bay	Glazed Ceramic Tile	2% - 5%	Resistant	8	≥ 374 lbf.	
Artea Stone	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	6	≥ 350 lbf.	
Campione	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	7	≥ 418 lbf.	
Caicos™	A Collection of Glass Mosaics	≤ 0.50%	Resistant	5.5	N/A	
Catwalk	Mesh Mounted Mosaic	≤ 0.50%	Resistant	6	N/A	
Cimmaron™	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	7	≥ 400 lbf.	
Crystal Stone	Mesh Mounted Mosaic	2% - 5%	Resistant	6	N/A	
Crystal Stone II	Mesh Mounted Mosaic	2% - 5%	Resistant	5	N/A	
Divine Woods™	A Collection of Decorative Accents	0.5% - 2.0%	Not Resistant	5	N/A	
Essentials	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	7	≥ 414 lbf.	
Fontanella™	Color Body Porcelain Stoneware 3D Printing Technique	≤ 0.50%	Resistant	7.5	≥ 745 lbf.	
Forest Impressions™	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	7	≥ 350 lbf.	
Harmony™	Color Body Porcelain Stoneware 3D Printing Technique	≤ 0.50%	Resistant	6.5	≥ 491 lbf.	
i Porfidi di Marazzi	Through Body Porcelain Stoneware	≤ 0.50%	Resistant	8	≥ 670 lbf.	
Imperial Slate	Glazed Ceramic Tile	2% - 5%	Resistant	7	≥ 370 lbf.	
Jade	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	7	≥ 420 lbf.	
Livigno™	Glazed Ceramic Tile	2% - 5%	Resistant	6.5	≥ 385 lbf.	
Lounge14™	Color Body Porcelain Stoneware 3D Printing Technique	≤ 0.50%	Resistant	7.5	≥ 696 lbf.	
Metal Mania™	A Collection of Decorative Accents	0.5% - 3.0%	Not Resistant	5	N/A	
Oxford	Beveled White Body Wall Tile	7% - 20%	Not Resistant	5.5	≥ 167 lbf.	
Perseo	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	5.5	≥ 886 lbf.	
Province	Glazed Ceramic Tile	2% - 5%	Resistant	7	≥ 385 lbf.	
Riflessi Di Legno	Color Body Porcelain Stoneware	≤ 0.50%	Resistant	7	≥ 867 lbf.	
Romance Collection	A Collection of Decorative Accents	2% - 5%	Not Resistant	5	N/A	
Romancing the Stone	A Collection of Decorative Accents	2% - 5%	Not Resistant	5	N/A	
San Savino™	Glazed Porcelain Stoneware 3D Printing Technique	≤ 0.50%	Resistant	7.5	≥ 722 lbf.	
Saturnia	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	6	≥ 300 lbf.	
Silk	Glazed Porcelain Stoneware 3D Printing Technique	≤ 0.50%	Resistant	6.5	≥ 502 lbf.	
Soho	Color Body Porcelain Stoneware	≤ 0.50%	Resistant	7	≥ 1035 lbf.	
Solaris	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	7	≥ 420 lbf.	
Stone Age	Glazed Ceramic Tile	2% - 5%	Resistant	7	≥ 385 lbf.	
Stone Collection	Color Body Porcelain Stoneware	≤ 0.50%	Resistant	6	≥ 850 lbf.	
StudioM	Paper Face Mounted Mosaic	≤ 0.50%	Resistant	6	N/A	
Sumatra	Glazed Ceramic Tile	2% - 5%	Resistant	7	≥ 270 lbf.	
Super Saltillo	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	6	≥ 374 lbf.	
Timeless Collection	Color Body Porcelain Stoneware 3D Printing Technique	≤ 0.50%	Resistant	7	≥ 416 lbf.	
Tosca	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	6	≥ 492 lbf.	
Treverkchic	Color Body Porcelain Stoneware 3D Printing Technique	≤ 0.50%	Resistant	6	≥ 1005 lbf.	
Vesale Stone	Glazed Porcelain Stoneware	≤ 0.50%	Resistant	7	≥ 500 lbf.	
Walnut Canyon	Color Body Porcelain Stoneware	≤ 0.50%	Resistant	7	≥ 429 lbf.	

* Whichever is less

	Facial Dimension	Thickness	Wedging (Squareness)	Warpage (Flatness)	Abrasion Resistance	D.C.O.F (Wet)	Chemical Resistance	Stain Resistance
	- 3.0% < Nominal ≤ 3.0%	≤ 0.04 in (1.02 mm max)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	Class 0 - Class V	As Reported	Class A - Class E	Class A - Class E
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 2.0%	≤0.04 in (1.02mm)	+/- 0.25% or +/- 0.8mm*	+/- 0.40% or +/- 1.8mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.0mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A
	N/A	N/A	N/A	N/A	0	N/A	A	A
	N/A	N/A	N/A	N/A	0	N/A	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A
	N/A	N/A	N/A	N/A	III	< 0.42	A	A
	N/A	N/A	N/A	N/A	III	< 0.42	A	A
	N/A	N/A	N/A	N/A	0	N/A	B	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	B	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.25% or +/- 0.8mm*	+/- 0.40% or +/- 1.8mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 2.0%	≤0.04 in (1.02mm)	+/- 0.25% or +/- 0.8mm*	+/- 0.40% or +/- 1.8mm*	III	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.0mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A
	+/- 3.0% From Nominal	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.0mm*	IV	< 0.42	A	A
	- 3.0% < Nominal ≤ 2.0%	≤0.04 in (1.02mm)	+/- 0.25% or +/- 0.8mm*	+/- 0.40% or +/- 1.8mm*	IV	≥ 0.42	A	A
	N/A	N/A	N/A	N/A	0	N/A	B	A
	+/- 2.0% From Nominal	≤0.031 in (0.79mm)	+/- 0.40% or +/- 1.3mm*	- 0.3% ≤ Any Edge ≤ 0.4% or - 1.0mm/ 1.3mm*	0	N/A	B	A
	- 3.0% < Nominal ≤ 2.0%	≤0.04 in (1.02mm)	+/- 0.25% or +/- 0.8mm*	+/- 0.40% or +/- 1.3mm*	II	< 0.42	C	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.0mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 2.0%	≤0.04 in (1.02mm)	+/- 0.25% or +/- 0.8mm*	+/- 0.40% or +/- 1.3mm*	IV	≥ 0.42	A	A
	N/A	N/A	N/A	N/A	0	N/A	D	A
	N/A	N/A	N/A	N/A	0	N/A	C	A
	+/- 3.0% From Nominal	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	B	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	B	A
	- 3.0% < Nominal ≤ 2.0%	≤0.04 in (1.02mm)	+/- 0.25% or +/- 0.8mm*	+/- 0.40% or +/- 1.3mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.0mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 2.0%	≤0.04 in (1.02mm)	+/- 0.25% or +/- 0.8mm*	+/- 0.40% or +/- 1.3mm*	IV	≥ 0.42	A	A
	N/A	N/A	N/A	N/A	I	N/A	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.0mm*	IV	< 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	< 0.42	A	A
	- 3.0% < Nominal ≤ 2.0%	≤0.04 in (1.02mm)	+/- 0.25% or +/- 0.8mm*	+/- 0.40% or +/- 1.3mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	< 0.42	A	A
	- 3.0% < Nominal ≤ 2.0%	≤0.04 in (1.02mm)	+/- 0.25% or +/- 0.8mm*	+/- 0.40% or +/- 1.8mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A
	- 3.0% < Nominal ≤ 3.0%	≤0.04 in (1.02mm)	+/- 0.50% or +/- 2.0mm*	+/- 0.75% or +/- 2.3mm*	IV	≥ 0.42	A	A



Oxford
Blanco Pg. 40-41



Perseo
Caldia Pg. 42-43



Perseo
Zebrino Pg. 42-43



Harmony™
Tone Pg. 30-31



Lounge14™
Cosmopolitan Pg. 38-39



Timeless Collection
Calacatta Pearl Pg. 58-59



Stone Collection
Ivory Pg. 55



Essentials
Wondrous White Pg. 25



Silk
Sophisticated Pg. 50-51




Treverkchic
Africa Pg. 62-63



Campione
Armstrong Pg. 22-23



Saturnia
Acqua Pg. 48-49



Saturnia
Creta Pg. 48-49



Arctic Bay
Arviat Pg. 20



Archaeology
Babylon Pg. 18-19



Sumatra
Dumai Pg. 56



Artea Stone
Cappuccino Pg. 21



Jade
Taupe Pg. 34-35



Cimmaron™
Timber Pg. 24



Fontanella™
Monza Pg. 26-27



Artea Stone
Noce Pg. 21



Tosca
Beige Pg. 60-61



Tosca
Noce Pg. 60-61




San Savino™
Pienza Pg. 46-47



Archaeology
Chaco Canyon Pg. 18-19



Cimmaron™
Canyon Pg. 24



Harmony™
Note Pg. 30-31



Solaris
Nutmeg Pg. 53



Province
Nova Scotia Pg. 44



Vesale Stone
Rust Pg. 64-65



Stone Age
Lava River Pg. 54




Solaris
Saffron Pg. 53




Archaeology
Troy Pg. 18-19




Silk
Distinguished Pg. 50-51




Oxford
Cacao Pg. 40-41



Perseo
Brown Pg. 42-43



Soho
Brown Pg. 52




American Estates™
Saddle Pg. 16-17



Treverkchic
Italiano Pg. 62-63




Riflessi di Legno
Walnut Pg. 45



American Estates™
Spice Pg. 16-17



Imperial Slate
Rust Pg. 33



Treverkchic
Americano Pg. 62-63



Walnut Canyon
Golden Pg. 66-67



Artea Stone
Oro Pg. 21



Saturnia
Argilla Pg. 48-49



Aida
Gold Pg. 14-15



Sumatra
Giambi Pg. 56



San Savino™
Volterra Pg. 46-47



Livigno™
Grigio Pg. 36-37



Stone Collection
Green Pg. 55



Walnut Canyon
Multi Pg. 66-67



Vesale Stone
Moss Pg. 64-65




i Porfidi di Marazzi
Verde Pg. 32



Jade
Sage Pg. 34-35



Lounge14™
Spritzer Pg. 38-39



Essentials
Graceful Grey Pg. 25



Stone Collection
Anthracite Pg. 55



Oxford
Gris Pg. 40-41



Vesale Stone
Smoke Pg. 64-65




Lounge14™
Sidecar Pg. 38-39




i Porfidi di Marazzi
Antracite Pg. 32



Essentials
Simplistic Smoke Pg. 25



Soho
Anthracite Pg. 52





aida 14-15
 american estates™ 16-17
 archaeology 18-19
 arctic bay 20
 artea stone 21
 campione 22-23
 cimmarron™ 24
 essentials 25
 fontanella™ 26-27
 forest impressions™ 28-29
 harmony™ 30-31
 i porfidi di marazzi 32
 imperial slate 33
 jade 34-35
 livigno™ 36-37
 lounge14™ 38-39
 oxford 40-41
 perseo 42-43
 province 44
 riflessi di legno 45
 san savino™ 46-47
 saturnia 48-49
 silk 50-51
 soho 52
 solaris 53
 stone age 54
 stone collection 55
 sumatra 56
 super saltillo 57
 timeless collection 58-59
 toska 60-61
 treverkchic 62-63
 vesale stone 64-65
 walnut canyon 66-67

(residential / commercial)

aida

glazed porcelain stoneware

MADE IN THE USA



Beige / Gray
(beige / gray)



Brown
(brown)



Gold
(gold)



Off-White
(off-white)

Decos



Tebe Beige / Gray
Listelli



Tebe Beige / Gray
Corner-Insert



Tebe Brown / Gold
Listelli



Tebe Brown / Gold
Corner-Insert



Tebe Off-White
Listelli








Tebe Off-White
Corner-Insert



gold




beige/gray

	FLOOR TILE		DECOS		TRIMS *
					
	12"x12" (30x30 cm)	18"x18" (45x45 cm)	3"x3" (8x8 cm)	3"x12" (8x30 cm)	3"x12" (8x30 cm)
Thickness	5/16" (8.3 mm)	3/8" (9.5 mm)	Corner-Insert	Listelli	Bullnose
Names (colors)					
Beige / Gray (beige / gray)	UF4S	UF4W			UH5Z
Brown (brown)	UF4T	UF4X			UH52
Gold (gold)	UF4U	UF4Y			UH53
Off-White (off-white)	UF4V	UF4Z			UH54
Tebe Beige / Gray (beige / gray)			UC2N	UF46	
Tebe Brown / Gold (brown / gold)			UC2P	UF47	
Tebe Off-White (off-white)			UC2Q	UF48	

Notes: * Trim is available in all colors and made to complement Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging Information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



brown

american estates™

color body porcelain stoneware | rectified | 3d printing technique

MADE IN THE USA



Natural
(light)



Saddle
(medium)



Spice
(dark)



spice




Marazzi's state-of-the-art 3d printing technique, uses the latest in digital print technology, allowing for infinite design capabilities unique to Marazzi. Marazzi is the only manufacturer in the US that can do digital print up to 360 dpi, direct to tile. At this maximum resolution and with the unique grayscale printing technique, Marazzi reaches finer, crisper and smoother definition for printed designs than other digital products. A stunning palette of more than 100 square feet with no repetition, at maximum resolution.

FLOOR TILE

	6"x36" R (14.7x90 cm)	9"x36" R (22.5x90 cm)
Thickness	3/8" (10 mm)	3/8" (10 mm)
Names (colors)		
Natural (Light)	ULCD	ULCG
Saddle (Medium)	ULCE	ULCH
Spice (Dark)	ULCF	ULCJ

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



saddle



Babylon
(cream)



Chaco Canyon
(amber)




Crystal River
(silver)




Troy
(walnut)


Decos



Babylon
Mosaic - Square 3"x3"



Chaco Canyon
Mosaic - Square 3"x3"



Crystal River
Mosaic - Square 3"x3"



Troy
Mosaic - Square 3"x3"



Babylon
Pinwheel Mosaic




Chaco Canyon
Pinwheel Mosaic



Crystal River
Pinwheel Mosaic




Troy
Pinwheel Mosaic



Babylon
Strip Mosaic



Chaco Canyon
Strip Mosaic



Crystal River
Strip Mosaic



Troy
Strip Mosaic



troy



Marazzi's state-of-the-art 3d printing technique, uses the latest in digital print technology, allowing for infinite design capabilities unique to Marazzi. Marazzi is the only manufacturer in the US that can do digital print up to 360 dpi, direct to tile. At this maximum resolution and with the unique grayscale printing technique, Marazzi reaches finer, crisper and smoother definition for printed designs than other digital products. A stunning palette of more than 100 square feet with no repetition, at maximum resolution.

	MODULAR TILE			FLOOR TILE		DECOS			TRIMS
Thickness	6 1/2" x 6 1/2" (16.5x16.5 cm) 7/16" (10.5mm)	6 1/2" x 13" (16.5x33.3 cm) 7/16" (10.5mm)	13" x 13" (33.3x33.3 cm) 7/16" (10.5mm)	20" x 20" (50x50 cm) 7/16" (11mm)	12" x 24" (30x60 cm) 7/16" (11mm)	12" x 12" (30x30 cm) Strip Mosaic	13" x 13" (33.3x33.3 cm) Mosaic - Square 3"x3"	13" x 13" (33.3x33.3 cm) Pinwheel Mosaic	3" x 13" (8x33.3 cm) Bullnose
Names (colors)									
Babylon (cream)	UL2J	UL2E	UL2A	UL26	UL22	UL36	UL2W	UL32	UL2S
Chaco Canyon (amber)	UL2K	UL2F	UL2B	UL27	UL23	UL37	UL2X	UL33	UL2T
Crystal River (silver)	UL2L	UL2G	UL2C	UL28	UL24	UL38	UL2Y	UL34	UL2U
Troy (walnut)	UL2M	UL2H	UL2D	UL29	UL25	UL39	UL2Z	UL35	UL2V

Notes: * Individual pieces on Mesh-mounted Mosaics are tumbled to intentionally create distressed edges that add timeless character. As in nature, the edges can appear irregular and slightly worn, adding a slightly rustic touch.
** Trim is available in all colors and made to complement Modular and Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X





crystal river


arctic bay

glazed ceramic tile

MADE IN THE USA



Arviat
(taupe)



Grise
(gold)







Rankin
(noce)



arviat



grise

	MODULAR TILE		FLOOR TILE	TRIMS *
				
	6"x6" (15x15 cm)	12"x12" (30x30 cm)	18"x18" (45x45 cm)	3"x12" (8x30 cm)
Thickness	5/16" (8 mm)	5/16" (8 mm)	3/8" (9 mm)	Bullnose
Names (colors)				
Arviat (taupe)	UG5C	UG5F	UG5J	UG5M
Grise (gold)	UG5D	UG5G	UG5K	UG5N
Rankin (noce)	UG5E	UG5H	UG5L	UG5P

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



Antico
(light taupe)



Avorio
(ivory)



Cappuccino
(cocoa)











Noce
(brown)



Oro
(gold)



	MODULAR TILE			FLOOR TILE	TRIMS*			
								
	6½"x6½" (16.5x16.5 cm)	6½"x13" (16.5x33.3 cm)	13"x13" (33.3x33.3 cm)	20"x20" (50x50 cm)	6"x8" (15x20 cm) Sanitary Cove Base In Angle**	1"x6" (2.5x15 cm) Sanitary Cove Base In Angle**	1"x6" (2.5x15 cm) Sanitary Cove Base Out Angle**	3"x13" (8x33.3 cm) Bullnose
Thickness	7/16" (10.5mm)	7/16" (10.5mm)	7/16" (10.5mm)	7/16" (11mm)				
Names (colors)								
Antico (light taupe)	UC43	UC48	UC4D	UC4J	UD1M	UD1S	UD1X	UC4R
Avorio (ivory)	UC44	UC49	UC4E	UC4K	UD1N	UD1T	UD1Y	UC4S
Cappuccino (cocoa)	UC42	UC47	UC4C	UC4H	UD1P	UD1U	UD1Z	UC4Q
Noce (brown)	UC3Z	UC46	UC4B	UC4G	UD1Q	UD1V	UD20	UC4P
Oro (gold)	UC3Y	UC45	UC4A	UC4F	UD1R	UD1W	UD21	UC4N

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.
** Suggested for interior applications only.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



campione

glazed porcelain stoneware

MADE IN THE USA



Andretti
(brown)



Armstrong
(beige)



Sampras
(gray)

Decos



Andretti
Mosaic - Octagon 2"x2"



Armstrong
Mosaic - Octagon 2"x2"



Sampras
Mosaic - Octagon 2"x2"

Decorative Options



Nickel
Diamond Insert
4"x4"



Nickel
Diamond Insert
2"x2"



Nickel
Diamond Insert
1"x1"



Bronze
Diamond Insert
4"x4"



Bronze
Diamond Insert
2"x2"



Bronze
Diamond Insert
1"x1"



Nickel
Chair Rail
1½"x13"



Bronze
Chair Rail
1½"x13"



andretti

	MODULAR TILE			FLOOR TILE	DECOS				TRIMS*	
Thickness	3¼"x6½" (8.2x16.5 cm) 5/16" (8.5mm)	6½"x6½" (16.5x16.5 cm) 5/16" (8.5mm)	13"x13" (33.3x33.3 cm) 5/16" (8.5mm)	20"x20" (50x50 cm) 7/16" (10.5mm)	13"x13" (33.3x33.3 cm) Mosaic - Octagon 2"x2"	1"x1" (2.5x2.5 cm) Diamond Insert	2"x2" (5x5 cm) Diamond Insert	4"x4" (10x10 cm) Diamond Insert	1½"x13" (3.8x33.3 cm) Chair Rail**	3"x13" (8x33.3 cm) Bullnose
Names (colors)										
Andretti (brown)	UJ3B	UJ28	UHAN	UHAS	UHA6					UHA2
Armstrong (beige)	UJ3C	UJ29	UHAP	UHAT	UHA7					UHA3
Sampras (gray)	UJ3D	UJ3A	UHAQ	UHAU	UHA8					UHA4
Nickel						UJ66	UJ64	UJ62	UJ6N	
Bronze						UJ67	UJ65	UJ63	UJ6P	

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.
** Suggested for interior applications only.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging Information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



armstrong-andretti



Canyon
(noce)



Sierra
(black)



Timber
(beige)



Meadow
(cream)

Decos



Copper Strata
Listelli



Copper Strata
Corner-Insert



MODULAR TILE		FLOOR TILE	DECOS*		TRIMS**					
6"x6" (15x15 cm)	12"x12" (30x30 cm)	18"x18" (45x45 cm)	1"x1" (2.5x2.5 cm)	1"x12" (2.5x30 cm)	1"x6" (2.5x15 cm)	1"x1" (2.5x2.5 cm)	6"x8" (15x20 cm)	1"x6" (2.5x15 cm)	1"x6" (2.5x15 cm)	3"x12" (8x30 cm)
5/16" (7.5mm)	5/16" (7.5mm)	3/4" (9mm)	Corner-Insert	Listelli	Quarter Round***	Quarter Round Angle***	Sanitary Cove Base***	Sanitary Cove Base In Angle***	Sanitary Cove Base Out Angle***	Bulnoso
UG2X	UG33	UG37			UG3K	UG3P	UG45	UG49	UG4D	UG3T
UG2Y	UG34	UG38			UG3L	UG3Q	UG46	UG4A	UG4E	UG3U
UG2Z	UG35	UG39			UG3M	UG3R	UG47	UG4B	UG4F	UG3V
UG32	UG36	UG3A			UG3N	UG3S	UG48	UG4C	UG4G	UG3W
			UG44	UG43						

Notes: * Listelli are imported, rated Class 3, suggested for interior residential applications only, have a dynamic coefficient of friction less than 0.42 (wet), and are made to complement Modular and Floor Tile.

** Trim is available in all colors and made to complement Modular and Floor Tile.

*** Suggested for interior applications only.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

essentials

glazed porcelain stoneware

MADE IN THE USA



Basic Black
(black)



Blissful Brown
(brown)



Graceful Grey
(grey)



Simplistic Smoke
(dark grey)




Trendy Taupe
(taupe)



Wondrous White
(off-white)


Decos



Basic Black
Mosaic - Brick 2"x4"



Blissful Brown
Mosaic - Brick 2"x4"



Grey
Mosaic - Brick 2"x4"



Simplistic Smoke
Mosaic - Brick 2"x4"



Trendy Taupe
Mosaic - Brick 2"x4"



Wondrous White
Mosaic - Brick 2"x4"



blissful brown - simplistic smoke - trendy taupe

FLOOR TILE				DECO	TRIMS*			
12"x12" (30x30 cm)	18"x18" (45x45 cm)	12"x24" (30x60 cm)	12"x12" (30x30 cm)	12"x12" (30x30 cm)	6"x12" (15x30 cm)	1"x6" (2.5x15 cm)	1"x6" (2.5x15 cm)	3"x12" (8x30 cm)
5/16" (7.5 mm)	5/16" (8.5 mm)	3/8" (10 mm)	Mosaic-Brick 2"x4"	Cove Base**	Cove Base In Angle**	Cove Base Out Angle**	Bullnose	
Names (colors)	UL59	UL5J	ULAZ	ULBA	UL6F	UL66	UL6T	UL5U
Basic Black (black)	UL5A	UL5K	ULB2	ULBB	UL6H	UL67	UL6U	UL5V
Blissful Brown (brown)	UL5D	UL5N	ULB3	ULBC	UL6N	UL6A	UL6X	UL5Y
Graceful Grey (grey)	UL5F	UL5R	ULB4	ULBD	UL63	UL6Q	UL6Z	UL6C
Simplistic Smoke (dark grey)	UL5G	UL5S	ULB5	ULBE	UL64	UL6R	UL72	UL6D
Trendy Taupe (taupe)	UL5H	UL5T	ULB6	ULBF	UL65	UL6S	UL73	UL6E
Wondrous White (off-white)								

Thickness

Names (colors)

Basic Black (black)

Blissful Brown (brown)

Graceful Grey (grey)

Simplistic Smoke (dark grey)

Trendy Taupe (taupe)

Wondrous White (off-white)

Notes: * Trim is available in all colors and made to complement Floor Tile.

** Suggested for interior applications only.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



Floor Tile



Wall Tile



Decorative Tile



Trim Available



Slight Variation



Frost Resistant



Abrasion Resistance



D.C.O.F. (Wet)

(Minimum 0.42)



21% Minimum Pre-Consumer Recycled Content



No VOC



Contributes to LEED Credits

For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

fontanella™

color body porcelain stoneware | rectified | 3d printing technique

MADE IN THE USA



Brianza
(beige)



Milan
(gray)





Monza
(white)



brianza



Marazzi's state-of-the-art 3d printing technique, uses the latest in digital print technology, allowing for infinite design capabilities unique to Marazzi. Marazzi is the only manufacturer in the US that can do digital print up to 360 dpi, direct to tile. At this maximum resolution and with the unique grayscale printing technique, Marazzi reaches finer, crisper and smoother definition for printed designs than other digital products. A stunning palette of more than 100 square feet with no repetition, at maximum resolution.

FLOOR TILE	
	
20"x20" (50x50 cm)	18"x36" (45x90 cm)
3/8" (10mm)	3/8" (10mm)
Names (colors)	
Brianza (beige)	ULQ3
Milan (gray)	ULQ4
Monza (white)	ULQ5
	ULQ6
	ULQ7
	ULQ8

Thickness

Names (colors)

Brianza (beige)

Milan (gray)

Monza (white)

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



milan

forest impressions™

glazed porcelain stoneware

MADE IN THE USA



Beige
(beige)



Green
(green)



Noce
(brown)

Decos

Glass Gold
Liner

Glass Gold
Insert









Glass Green
Liner

Glass Green
Insert

Glass Orange
Liner

Glass Orange
Insert




	FLOOR TILE		WALL TILE†	DECOS*		TRIMS**		
								
Thickness	12"x12" (30x30 cm) 5/16" (8.3mm)	18"x18" (45x45 cm) 3/8" (9.5mm)	8"x12" (20x30 cm) 5/16" (7.4mm)	1 1/16"x1 3/16" (3x3 cm) Insert	3/16"x8" (1x20 cm) Liner	3"x12" (8x30 cm) Bullnose†	2 1/2"x8" (6.5x20 cm) Wall Bullnose†	2 1/2"x2 1/2" (6.5x6.5 cm) Wall Bullnose Corner†
Names (colors)								
Beige (beige)	UF59	UF6C	UF6J			UF6F	UF6M	UF6Q
Green (green)	UF6A	UF6D	UF6K			UF6G	UF6N	UF6R
Noce (brown)	UF6B	UF6E	UF6L			UF6H	UF6P	UF6S
Glass Gold (Complements Beige)				UF6W	UF6T			
Glass Green (Complements Green)				UF6X	UF6U			
Glass Orange (Complements Noce)				UF6Y	UF6V			

Notes: * Decos are imported, suggested for interior residential applications only, have a dynamic coefficient of friction less than 0.42 (wet), and are made to complement Floor and Wall Tile.
 ** Trim is available in all colors and made to complement Floor and Wall Tile.
 † Wall tile, wall bullnose, and wall bullnose corner are made in Mexico.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X

Usage recommendations apply to Floor tile only, not Wall tile.



For Packaging information on this product see pages 77-83
 For ASTM Test Results on this product see pages 8-9



green

harmony™

color body porcelain stoneware | rectified | 3d printing technique

MADE IN THE USA



Chord
(black/cherry)



Note
(grey/brown)



Pitch
(red/brown)



Tone
(white)



pitch



tone



Marazzi's state-of-the-art 3d printing technique, uses the latest in digital print technology, allowing for infinite design capabilities unique to Marazzi. Marazzi is the only manufacturer in the US that can do digital print up to 360 dpi, direct to tile. At this maximum resolution and with the unique grayscale printing technique, Marazzi reaches finer, crisper and smoother definition for printed designs than other digital products. A stunning palette of more than 100 square feet with no repetition, at maximum resolution.

FLOOR TILE

	6"x36" R (15x90 cm)	9"x36" R (22.5x90 cm)
Thickness	3/8" (10mm)	3/8" (10mm)
Names (colors)		
Chord (black/cherry)	ULKK	ULKP
Note (grey/brown)	ULKL	ULKQ
Pitch (red/brown)	ULKM	ULKR
Tone (white)	ULKN	ULKS

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



note

i porfidi di marazzi

through body porcelain stoneware



Rosso
(rose)




Verde
(green)



Antracite
(dark grey)


Decos



Rosso
Mosaic - Square 3"x3"



Verde
Mosaic - Square 3"x3"



Antracite
Mosaic - Square 3"x3"



Rosso
Random Mosaic



Verde
Random Mosaic




Antracite
Random Mosaic



Rosso
Fan Mosaic










Verde
Fan Mosaic



Antracite
Fan Mosaic



	MODULAR TILE			DECOS ⁺		TRIMS ⁺⁺	
							
	6"x6" (14.5x14.5 cm)	6"x12" (14.5x30 cm)	12"x12" (30x30 cm)	12"x12" (30x30 cm)	12"x12" (30x30 cm)	52"x30" (133x77 cm)	3"x12" (8x30 cm)
Thickness	3/8" (10mm)	3/8" (10mm)	3/8" (10mm)	Mosaic - Square 3"x3"	Random Mosaic	Fan Mosaic	Bullnose
Names (colors)							
Antracite (dark grey)	M6YH	M6YE	M6YA	M6ZM	M6ZQ	M6ZU	M6ZX
Rosso (rose)	M6YF	M6YC	M6X8	M6ZK	M6ZN	M6ZR	M6ZV
Verde (green)	M6YG	M6YD	M6X9	M6ZL	M6ZP	M6ZT	M6ZW

Notes: ⁺ Individual pieces on Mesh-mounted Mosaics are tumbled to intentionally create distressed edges that add timeless character. As in nature, the edges can appear irregular and slightly worn, adding a slightly rustic touch.

⁺⁺ Trim is available in all colors and made to complement Modular Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X




For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

imperial slate

glazed ceramic tile

MADE IN THE USA




Black
(black)



Rust
(rust)




Tan
(tan)



Mix
(black / rust)

Decos







Mix
Mosaic - Square 2"x2"



Tan
Mosaic - Square 2"x2"



	MODULAR TILE	FLOOR TILE	DECOS	TRIMS **
				
	6"x6" (15x15 cm)	12"x12" (30x30 cm)	16"x16" (40x40 cm)	12"x12" (30x30 cm)
Thickness	5/16" (8.5mm)	5/16" (8.5mm)	5/16" (9mm)	Mosaic - Square 2"x2"
Names (colors)				Bullnose
Black (black)		UE24	UF4P	UH59
Rust (rust)		UE25	UF4Q	UH6A
Tan (tan)		UE26	UF4R	UH6B
Mix (black / rust) *	UE3P		ULBG	ULBH

Notes: * Mix color is a combination of the Black and Rust. Tile is randomly packaged and has extreme shade variation.
** Trim is available in all colors and made to complement Modular and Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9


jade

glazed porcelain stoneware

MADE IN THE USA



Chestnut



Ochre




Sage




Taupe

Decos




Chestnut
Mosaic - Square 1"x1"



Ochre
Mosaic - Square 1"x1"



Sage
Mosaic - Square 1"x1"




Taupe
Mosaic - Square 1"x1"



Chestnut
Mosaic - Square 2"x2"



Ochre
Mosaic - Square 2"x2"



Sage
Mosaic - Square 2"x2"



Taupe
Mosaic - Square 2"x2"



Chestnut
Mosaic - Brick 1"x2"



Ochre
Mosaic - Brick 1"x2"



Sage
Mosaic - Brick 1"x2"



Taupe
Mosaic - Brick 1"x2"



	MODULAR TILE	FLOOR TILE	DECOS	TRIMS*
Thickness	6½"x6½" (16.5x16.5 cm) 5/16" (8.5mm)	13"x13" (33.3x33.3 cm) 5/16" (8.5mm)	20"x20" (50x50 cm) 7/16" (11mm)	13"x13" (33.3x33.3 cm) 5/16" (8.5mm)
Names (colors)	UE4R	UE3A	UE3E	UE4V
Chestnut	UE4S	UE3B	UE3F	UE4Z
Ochre	UE4T	UE3C	UE3G	UE4X
Sage	UE4U	UE3D	UE3H	UE4Y
Taupe				UE44
				UE45
				UE46
				UE47
				UE48
				UE3J
				UE3K
				UE3M
				UE3N

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



chestnut



Grigio
(grey)



Noce
(walnut)



Oro
(golden brown)

Decos



Grigio
Mosaic - Square 2"x2"



Noce
Mosaic - Square 2"x2"



Oro
Mosaic - Square 2"x2"



grigio

FLOOR TILE	DECOS	TRIMS*
12"x12" (30x30 cm)	18"x18" (45x45 cm)	3"x12" (8x30 cm)
5/16" (8mm)	3/4" (9mm)	Mosaic - Square 2"x2"
		Bullnose
Names (colors)		
Grigio (grey)	ULDB	ULDE
Noce (walnut)	ULDC	ULDF
Oro (golden brown)	ULDA	ULDD
		ULDH
		ULDJ
		ULDM
		ULDG
		ULDK

Thickness

Names (colors)

Grigio (grey)

Noce (walnut)

Oro (golden brown)

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors			X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



noce

lounge14™

color body porcelain stoneware | rectified | 3d printing technique

MADE IN THE USA



Cosmopolitan
(beige)



Martini
(black)



Sidecar
(grey)



Spritzer
(white)

Decos



Cosmopolitan
Decorative Inlay



Martini
Decorative Inlay



Sidecar
Decorative Inlay



Spritzer
Decorative Inlay



Cosmopolitan
Strip Mosaic



Martini
Strip Mosaic




Sidecar
Strip Mosaic



Spritzer
Strip Mosaic



Cosmopolitan
Mosaic - Square 2"x2"



Martini
Mosaic - Square 2"x2"



Sidecar
Mosaic - Square 2"x2"



Spritzer
Mosaic - Square 2"x2"

	FLOOR TILE			DECOS			TRIMS*		
	12"x24" R (30x60 cm)	9"x36" R (22.5x90 cm)	18"x36" R (45x90 cm)	12"x24" R (30x60 cm)	12"x24" (30x60 cm)	12"x12" (30x30 cm)	6"x12" (15x30 cm)	1"x6" (2.5x15 cm)	3"x24" (8x33.3 cm)
Thickness	3/8" (10mm)	3/8" (10mm)	3/8" (10mm)	Decorative Inlay	Strip Mosaic	Mosaic - Square 2"x2"	Cove Base	Cove Base Out Angle	Bullnose
Names (colors)									
Cosmopolitan (beige)	ULGN	ULGS	ULGW	ULJA	ULJJ	ULJE	ULH6	ULHE	ULH2
Martini (black)	ULGP	ULGT	ULGX	ULJB	ULJK	ULJF	ULH7	ULHF	ULH3
Sidecar (grey)	ULGQ	ULGU	ULGY	ULJC	ULJL	ULJG	ULH8	ULHG	ULH4
Spritzer (white)	ULGR	ULGV	ULGZ	ULJD	ULJM	ULJH	ULH9	ULHH	ULH5

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops			




For Packaging Information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9




cosmopolitan

oxford


beveled white body wall tile




Blanco
(white)




Perla
(light gray)




Gris
(gray)



Negro
(black)



Marfil
(beige)



Cacao
(brown)

Decos








Grey
Mosaic



Brown
Mosaic



	WALL TILE		DECOS	TRIMS*	
					
	5"x15" (12.5x38 cm)	10"x15" (25x38 cm)	12"x12" (30x30 cm)	5"x15" (12.5x38 cm)	5"x1" (12.5x2.5 cm)
Thickness	1/4" (7.0mm)	1/4" (7.0mm)	Mosaic	Finishing Rail	Corner Angle
Names (colors)					
Blanco (white)	DBZM	DBBJ		DBYM	DCCN
Cacao (brown)	DBZS	DBBQ		DBYS	DCCT
Gris (gray)	DBZP	DBBL		DBYP	DCCQ
Marfil (beige)	DBZR	DBBN		DBYR	DCCS
Negro (black)	DBZQ	DBBM		DBYQ	DCCR
Perla (light gray)	DBZN	DBBK		DBYN	DCCP
Brown			DBRX		
Grey			DBRW		

Notes: * Trim is available in all colors and made to complement Wall Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors			
Walls / Backsplashes	X	X	X
Countertops			



For Packaging Information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



perseo

glazed porcelain stoneware | rectified | 3D printing technique




Brown
(brown)



Caldia
(white)



Grey
(gray)



Marfil
(beige)



Zebrino
(gray/white)




brown

FLOOR TILE

24"x24" R	
(60x60 cm)	
Rectified	
7/16" (10.5mm)	
Thickness	
Names (colors)	
Brown (brown)	DBME
Caldia (white)	DBMA
Grey (gray)	DBMB
Marfil (beige)	DBLZ
Zebrino (gray/white)	DBLY

APPLICATIONS	Institutional	Commercial	Residential
Floors			X
Walls / Backsplashes	X	X	X
Countertops			



For Packaging Information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



zebrino



New Brunswick
(ivory)



Nova Scotia
(rust)







Quebec
(walnut)



nova scotia



quebec

	MODULAR TILE		DECOS*	TRIMS**
				
	12"x12" (30x30 cm)	18"x18" (45x45 cm)	12"x12" (30x30 cm)	3"x12" (8x30 cm)
Thickness	5/16" (7.5 mm)	5/16" (8.5 mm)	Mosaic - Square 2"x2"	Bullnose
Names (colors)				
New Brunswick (ivory)	ULCT	ULCX	ULD3	ULD7
Nova Scotia (rust)	ULCU	ULCY	ULD4	ULD8
Quebec (walnut)	ULCV	ULCZ	ULD5	ULD9

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

riflessi di legno

color body porcelain stoneware | rectified

MADE IN THE USA




Ash
(grey)




Cherry
(red)



Ebony
(black)



Oak
(gold)



Walnut
(brown)



ash

MODULAR TILE			
	4"x24" R (9.75x59.50 cm)	6"x24" R (14.72x59.50 cm)	12"x24" R (29.65x59.50 cm)
Thickness	7/16" (11 mm)	7/16" (11 mm)	7/16" (11 mm)
Names (colors)			
Ash (grey)	UJ3P	UHAJ	UJ3J
Cherry (red)	UJ3Q	UHAK	UJ3K
Ebony (black)	UJ3R	UHAL	UJ3L
Oak (gold)	UJ3S	UHAM	UJ3M
Walnut (brown)	UJ3T	UJ3H	UJ3N

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



Greve
(grey)



Pienza
(beige)



Volterra
(charcoal)

Decos



Greve
Mosaic - Square 2"x2"










Pienza
Mosaic - Square 2"x2"



Volterra
Mosaic - Square 2"x2"



volterra

	FLOOR TILE			DECOS	TRIMS*		
							
	12"x24" (30x60 cm)	20"x20" (50x50 cm)	18"x36" (45x90 cm)	12"x12" (30x30 cm)	6"x12" (15x30 cm)	1"x6" (2.5x15 cm)	3"x12" (8x30 cm)
Thickness	3/8" (10mm)	3/8" (10mm)	3/8" (10mm)	Mosaic - Square 2"x2"	Cove Base	Cove Base Out Angle	Bullnose
Names (colors)	ULP9	ULPC	ULPF	ULPJ	ULPQ	ULPT	ULPM
Greve (grey)	ULP9	ULPC	ULPF	ULPJ	ULPQ	ULPT	ULPM
Pienza (beige)	ULPA	ULPD	ULPG	ULPK	ULPR	ULPU	ULPN
Volterra (charcoal)	ULPB	ULPE	ULPH	ULPL	ULPS	ULPV	ULPP

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops			



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



pienza

saturnia

glazed porcelain stoneware

MADE IN THE USA



Acqua
(ivory)



Argilla
(walnut)




Creta
(gray)



Elios
(gold)

Decos



Acqua
Mosaic - Square 1"x1"



Argilla
Mosaic - Square 1"x1"



Creta
Mosaic - Square 1"x1"



Elios
Mosaic - Square 1"x1"



Acqua
Mosaic - Square 2"x2"



Argilla
Mosaic - Square 2"x2"



Creta
Mosaic - Square 2"x2"



Elios
Mosaic - Square 2"x2"



Acqua
Mosaic - Diamond 1"x2"



Argilla
Mosaic - Diamond 1"x2"



Creta
Mosaic - Diamond 1"x2"



Elios
Mosaic - Diamond 1"x2"



Acqua
Mosaic - Diamond 2"x3 1/2"



Argilla
Mosaic - Diamond 2"x3 1/2"



Creta
Mosaic - Diamond 2"x3 1/2"



Elios
Mosaic - Diamond 2"x3 1/2"



Serena
Insert



argilla

	FLOOR TILE						DECOS*	TRIMS**
	13"x13" (33.3x33.3 cm)	20"x20" (50x50 cm)	13"x13" (33.3x33.3 cm)	13"x13" (33.3x33.3 cm)	13"x13" (33.3x33.3 cm)	13"x13" (33.3x33.3 cm)	4"x4" (10x10 cm)	3"x13" (8x33.3 cm)
Thickness	7/16" (10.5mm)	7/16" (11mm)	Mosaic - Square 1"x1"	Mosaic - Square 2"x2"	Mosaic - Diamond 1"x2"	Mosaic - Diamond 2"x3 1/2"	Insert	Bullnose
Names (colors)								
Acqua (ivory)	FB24	FB28	FC2K	FC2P	FC2T	FC2X		FB2C
Argilla (walnut)	FB25	FB29	FC2L	FC2Q	FC2U	FC2Y		FB2D
Creta (gray)	FB26	FB2A	FC2M	FC2R	FC2V	FC2Z		FB2E
Elios (gold)	FB27	FB2B	FC2N	FC2S	FC2W	FC22		FB2F
Serena (Complements all colors)							FB2G	

Notes: * Individual pieces on Mesh-mounted Mosaics are tumbled to intentionally create distressed edges that add timeless character. As in nature, the edges can appear irregular and slightly worn, adding a slightly rustic touch.
** Trim is available in all colors and made to complement Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



acqua

silk

glazed porcelain stoneware | 3d printing technique

MADE IN THE USA



Distinguished
(dark noce)



Elegant
(white)



Sophisticated
(beige)

Decos



Distinguished
Mosaic - Square 2"x2"



Elegant
Mosaic - Square 2"x2"



Sophisticated
Mosaic - Square 2"x2"



Silk
Mixed Mosaic



Silk
Mixed Listelli



Silk
Mixed Liner with Glass














distinguished

3d digital
design
definition

Marazzi's state-of-the-art 3d printing technique, uses the latest in digital print technology, allowing for infinite design capabilities unique to Marazzi. Marazzi is the only manufacturer in the US that can do digital print up to 360 dpi, direct to tile. At this maximum resolution and with the unique grayscale printing technique, Marazzi reaches finer, crisper and smoother definition for printed designs than other digital products. A stunning palette of more than 100 square feet with no repetition, at maximum resolution.

Thickness

Names (colors)
Distinguished (dark noce)
Elegant (white)
Sophisticated (beige)
Mixed

FLOOR TILE	DECOS	TRIMS
 12" x 24" (30x60 cm) 3/8" (10mm)	 18" x 36" (45x90 cm) 3/8" (10mm)	 20" x 20" (50x50 cm) 3/8" (10mm)
 5/8" x 12" (24x30 cm) Liner with Glass	 2" x 12" (5x30 cm) Listelli	 12" x 12" (30x30 cm) Mixed Mosaic
 12" x 12" (30x30 cm) Mosaic-Square 2"x2"	 4" x 24" (10x60 cm) Bulnose	 6" x 12" (15x30 cm) Covebase***
 1" x 6" (2.5x15 cm) Covebase In Angle***	 1" x 6" (2.5x15 cm) Covebase Out Angle***	
ULBL	ULBP	ULBS
ULBJ	ULBM	ULBQ
ULBK	ULBN	ULBR
	ULEB	ULEE
		ULE8
		ULEW
		ULBV
		ULBT
		ULBU
		ULC6
		ULC4
		ULC5
		ULBY
		ULBW
		ULBX
		ULBZ
		ULC3
		ULC2

Notes: ** Individual pieces on Mesh-mounted Mosaics are tumbled to intentionally create distressed edges that add timeless character. As in nature, the edges can appear irregular and slightly worn, adding a slightly rustic touch.
*** Trim is available in all colors and made to complement Floor Tile.
**** Suggested for interior applications only.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



sophisticated

soho


color body porcelain stoneware | rectified




Beige
(beige)



Grey
(grey)




Brown
(brown)



Anthracite
(dark grey)

Decos



Beige
Deco



Grey
Deco



Brown
Deco



Anthracite
Deco













Brown
Mosaic



Anthracite
Mosaic



beige - anthracite

	MODULAR TILE			FLOOR TILE	DECOS		TRIMS*			
										
Thickness	12"x24"R (30x60 cm)	24"x24"R (60x60 cm)	12"x48"R (30x120 cm)	24"x48"R (60x120 cm)	12"x24" (30x60 cm)	12"x12" (30x30 cm)	6"x12" (15x30 cm)	1"x6" (2.5x15 cm)	1"x6" (2.5x15 cm)	4"x24" (9.5x60 cm)
	7/16" (11 mm)	7/16" (11 mm)	7/16" (11 mm)	7/16" (11 mm)	Fascia	Decorative Module	Sanitary Cove Base**	Sanitary Cove Base in Angle**	Sanitary Cove Base Out Angle**	Bullnose
Names (colors)										
Anthracite (dark grey)	M6X4	M6X0	M6YN	M6XW	M70C	M6Z9	UHCR	UHCV	UHCZ	M70U
Beige (beige)	M6X1	M6XX	M6YK	M6XT	M70E		UHCN	UHCS	UHCW	M70Q
Brown (brown)	M6X3	M6XZ	M6YM	M6XV	M70D	M70A	UHCQ	UHCU	UHCY	M70T
Grey (grey)	M6X2	M6XY	M6YL	M6XU	M70F		UHCP	UHCT	UHCX	M70R

Notes: * Trim is available in all colors and made to complement Modular Tile.
** Suggested for interior applications only.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

solaris

glazed porcelain stoneware

MADE IN THE USA



Ginger
(white / mauve)






Nutmeg
(brown)



Saffron
(rust)



nutmeg

FLOOR TILE		TRIMS*
		
12"x12" (30x30 cm)	18"x18" (45x45 cm)	3"x12" (8x30 cm)
Thickness $\frac{5}{16}$ " (8.3mm)	$\frac{3}{8}$ " (9.5mm)	Bullnose
Names (colors)		
Ginger (white / mauve)	UF49	UH6C
Nutmeg (brown)	UF5A	UH6D
Saffron (rust)	UF5B	UH6E

Notes: * Trim is available in all colors and made to complement Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

stone age

glazed ceramic tile

MADE IN THE USA



Lava River
(rust)



Lost Sea
(charcoal)



Mammoth
(brown)



Sequoyah
(beige)


Decos



Lava River
Mosaic - Square 2"x2"



Lost Sea
Mosaic - Square 2"x2"








Mammoth
Mosaic - Square 2"x2"



Sequoyah
Mosaic - Square 2"x2"



lost sea

	MODULAR TILE		FLOOR TILE	DECOS	TRIMS*
					
	6"x6" (15x15 cm)	12"x12" (30x30 cm)	18"x18" (45x45cm)	12"x12" (30x30 cm)	3"x12" (8x30 cm)
Thickness	5/16" (8.5mm)	5/16" (8.5mm)	7/16" (9mm)	Mosaic - Square 2"x2"	Bullnose
Names (colors)					
Lava River (rust)	UL7U	UL7Y	UL84	ULCK	UL88
Lost Sea (charcoal)	UL7V	UL7Z	UL85	ULCL	UL89
Mammoth (brown)	UL7W	UL82	UL86	ULCM	UL8A
Sequoyah (beige)	UL7X	UL83	UL87	ULCN	UL8B

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

stone collection

color body porcelain stoneware | rectified



Anthracite
(gray)




Green
(green)



Ivory
(ivory)

Decos



Anthracite
Listelli



Green
Listelli



Anthracite
Mosaic - Square 2"x2"



Green
Mosaic - Square 2"x2"



Ivory
Mosaic - Square 2"x2"



Anthracite
Mosaic - Square 1.5"x2.6"
















Green
Mosaic - Square 1.5"x2.6"



Ivory
Mosaic - Square 1.5"x2.6"



anthracite - ivory

	MODULAR TILE					FLOOR TILE	DECOS			TRIMS*			
Thickness	 12"x12"R (30x30 cm) Rectified 7/16" (11mm)	 12"x24"R (30x60 cm) Rectified 7/16" (11mm)	 24"x24"R (60x60 cm) Rectified 7/16" (11mm)	 12"x48"R (30x120 cm) Rectified 7/16" (11mm)	 24"x48"R (60x120 cm) Rectified 7/16" (11mm)	 24"x24" (60x60 cm) Rectified 7/16" (11mm)	 2"x12" (5x30 cm) Border	 12"x12" (30x30 cm) Mosaic - Square 2"x2"	 12"x12" (30x30 cm) Mosaic - Brick 1.5"x2.6"	 6"x12" (15x30 cm) Sanitary Cove Base**	 1"x6" (2.5x15 cm) Sanitary Cove Base In Angle**	 1"x6" (2.5x15 cm) Sanitary Cove Base Out Angle**	 3"x12" (8x30 cm) Bullnose
Names (colors)													
Anthracite (gray)	MHSP	MHSF	MHJM	M6ZH	M6ZD	MHHQ		M54W	M54R	UHCD	UHCG	UHCK	UG4H
Green (green)	MHSQ	MHSG	MHJN	M6ZJ	M6ZE	MHHR		M54X	M54T	UHCE	UHCH	UHCL	UG4J
Ivory (ivory)	MHSM	MHSD	MHHT	M6ZF	M6ZA	MHHN		M54U	M54P	UHCF	UHCJ	UHCM	UG4K
Anthracite (Complements Anthracite)							MHT2						
Green (Complements Green)							MHT3						

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.
** Suggested for interior applications only.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

sumatra

glazed ceramic tile

MADE IN THE USA



Dumai
(beige)



Giambi
(gold)






Medan
(noce)



giambi



dumai

MODULAR TILE	FLOOR TILE	TRIMS *
 6"x6" (15x15 cm) 5/16" (8 mm)	 12"x12" (30x30 cm) 5/16" (8 mm)	 18"x18" (45x45 cm) 3/8" (9 mm) Bullnose
UG5T	UG5W	UG5Z
UG5U	UG5X	UG62
UG5V	UG5Y	UG63
		UG64
		UG65
		UG67

Thickness

Names (colors)

Dumai (beige)

Giambi (gold)

Medan (noce)

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors			X
Walls / Backsplashes	X	X	X
Countertops			X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

super saltillo

glazed porcelain stoneware

MADE IN THE USA






Desierto
(brown)



Saguario
(yellow)



desierto

	MODULAR TILE	FLOOR TILE	TRIMS*
			
	6"x6" (15x15 cm)	12"x12" (30x30 cm)	18"x18" (45x45 cm)
Thickness	5/16" (8mm)	5/16" (8mm)	3/8" (10mm)
Names (colors)			Bullnose
Desierto (brown)	UG2C	UG2E	UG2G
Saguario (yellow)	UG2B	UG2D	UG2F
			UG2S
			UG2R

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

timeless collection

color body porcelain stoneware | rectified | 3d printing technique

MADE IN THE USA



Calacatta Pearl
(white)




Marfil Cream
(beige)



Emperador Mocha
(brown)

Decos



Calacatta Pearl
Mosaic - Hexagon 1 3/4" x 1 1/2"



Marfil Cream
Mosaic - Hexagon 1 3/4" x 1 1/2"










Emperador Mocha
Mosaic - Hexagon 1 3/4" x 1 1/2"



emperador mocha



Marazzi's state-of-the-art 3d printing technique, uses the latest in digital print technology, allowing for infinite design capabilities unique to Marazzi. Marazzi is the only manufacturer in the US that can do digital print up to 360 dpi, direct to tile. At this maximum resolution and with the unique grayscale printing technique, Marazzi reaches finer, crisper and smoother definition for printed designs than other digital products. A stunning palette of more than 100 square feet with no repetition, at maximum resolution.

	MODULAR TILE		FLOOR TILE			DECOS*	TRIMS**
							
	3 1/4" x 6 1/2" R (8.1 x 16.35 cm) Rectified	13" x 13" R (32.9 x 32.9 cm) Rectified	20" x 20" R (49.7 x 49.7 cm) Rectified	12" x 24" R (29.7 x 60.5 cm) Rectified	18" x 36" R (44.7 x 91.5 cm) Rectified	13" x 13" (33.3 x 33.3 cm) Mosaic - Hexagon 1 1/2" x 1 1/2"	3" x 13" (8 x 33.3 cm) Bullnose
Thickness	5/16" (8.5mm)	5/16" (8.5mm)	7/16" (11mm)	7/16" (11mm)	3/8" (9mm)		
Names (colors)							
Calacatta Pearl (white)	UK2N	UK2A	UK2D	UK2K	ULCP	UK2V	UK2S
Marfil Cream (beige)	UK2P	UK2B	UK2E	UK2L	ULCQ	UK2W	UK2T
Emperador Mocha (brown)	UK2R	UK2C	UK2F	UK2M	ULCR	UK2X	UK2U

Notes: * Mosaics are mounted to a mesh backing.

** Trim is available in all colors and made to complement Modular and Floor Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging Information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



marfil cream

tosca

glazed porcelain stoneware

MADE IN THE USA



Amber
(amber)



Beige
(beige)



Ivory
(ivory)









Noce
(walnut)

Decos



Palace
Border



	MODULAR TILE			FLOOR TILE	DECOS*	TRIMS**
						
	6½"x6½" (16.5x16.5 cm)	6½"x13" (16.5x33.3 cm)	13"x13" (33.3x33.3 cm)	20"x20" (50x50 cm)	1¼"x13" (3.2x33.3 cm)	3"x13" (8x33.3 cm)
Thickness	7/16" (10.5mm)	7/16" (10.5mm)	7/16" (10.5mm)	7/16" (10.5mm)	Border	Bullnose
Names (colors)						
Amber (amber)	UB5D	UB5H	UB5M	UB5V		UB6M
Beige (beige)	UB5E	UB5J	UB5N	UB5W		UB6N
Ivory (ivory)	UB5F	UB5K	UB5P	UB5X		UB6P
Noce (walnut)	UB5G	UB5L	UB5Q	UB5Y		UB6Q
Palace (Complements all colors)					AG3J	

Notes: * Listelli Decos are imported, suggested for interior residential applications only, have a dynamic coefficient of friction less than 0.42 (wet), and are made to complement Modular and Floor Tile.
 ** Trim is available in all colors and made to complement Modular and Floor Tile.
 *** Suggested for interior applications only.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
 For ASTM Test Results on this product see pages 8-9



amber

treverkchic

color body porcelain stoneware | rectified | 3d printing technique



Africa



Americano



Francese



Italiano



Marazzi's state-of-the-art 3d printing technique, uses the latest in digital print technology, allowing for infinite design capabilities unique to Marazzi. Marazzi is the only manufacturer in the US that can do digital print up to 360 dpi, direct to tile. At this maximum resolution and with the unique grayscale printing technique, Marazzi reaches finer, crisper and smoother definition for printed designs than other digital products. A stunning palette of more than 100 square feet with no repetition, at maximum resolution.

FLOOR TILE			
	6"x48" R (15x120 cm)	8"x48" R (20x120 cm)	12"x48" R (30x120 cm)
Thickness	3/8" (10 mm)	3/8" (10 mm)	3/8" (10 mm)
Names (colors)			
Africa	MH34	MH2Y	MH2S
Americano	MH31	MH2V	MH2P
Francese	MH30	MH2U	MH2N
Italiano	MH2Z	MH2T	MH2M

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



africa



Moss
(green)



Rust
(brown)



Sand
(beige)




Smoke
(gray)


Decos



Moss
Mosaic - Square 1"x1"



Rust
Mosaic - Square 1"x1"



Sand
Mosaic - Square 1"x1"



Smoke
Mosaic - Square 1"x1"



Moss
Mosaic - Square 2"x2"



Rust
Mosaic - Square 2"x2"



Sand
Mosaic - Square 2"x2"



Smoke
Mosaic - Square 2"x2"



Moss
Mosaic - Diamond 2"x3 1/2"



Rust
Mosaic - Diamond 2"x3 1/2"











Sand
Mosaic - Diamond 2"x3 1/2"



Smoke
Mosaic - Diamond 2"x3 1/2"




rust

	MODULAR TILE		FLOOR TILE		DECOS			TRIMS*
								
Thickness	6 1/2"x6 1/2" (16.5x16.5 cm)	13"x13" (33.3x33.3 cm)	10"x20" R (25x50 cm)	20"x20" (50x50 cm)	13"x13" (33.3x33.3 cm)	13"x13" (33.3x33.3 cm)	13"x13" (33.3x33.3 cm)	3"x13" (8x33.3 cm)
	3/8" (10mm)	3/8" (10mm)	7/16" (10.5mm)	7/16" (10.5mm)	Mosaic - Square 1"x1"	Mosaic - Square 2"x2"	Mosaic - Diamond 2"x3 1/2"	Bullnose
Names (colors)								
Moss (green)	UF2A	UF2L	UF2G	UF2Q	UF2Y	UF24	UF28	UF2U
Rust (brown)	UF2B	UF2M	UF2H	UF2R	UF2Z	UF25	UF29	UF2V
Sand (beige)	UF2C	UF2N	UF2J	UF2S	UF22	UF26	UF3A	UF2W
Smoke (gray)	UF2D	UF2P	UF2K	UF2T	UF23	UF27	UF3B	UF2X

Notes: * Trim is available in all colors and made to complement Modular Tile.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



walnut canyon

color body porcelain stoneware

MADE IN THE USA



Cream
(cream)



Golden
(gold)



Multi
(multi color)



Umber
(red/brown)

Decos



Cream
Mosaic - Square 2"x2"



Cream
Mosaic - Brick 2"x4"



Golden
Mosaic - Square 2"x2"




Golden
Mosaic - Brick 2"x4"



Multi
Mosaic - Square 2"x2"



Multi
Mosaic - Brick 2"x4"



Umber
Mosaic - Square 2"x2"



Umber
Mosaic - Brick 2"x4"



Nickel
Floral Insert
4"x4"



Nickel
Floral Insert
2"x2"



Nickel
Floral Insert
1"x1"



Nickel
Chair Rail
1 1/2"x13"



Nickel
Pencil Liner
1/2"x13"



Bronze
Floral Insert
4"x4"



Bronze
Floral Insert
2"x2"



Bronze
Floral Insert
1"x1"

















Bronze
Chair Rail
1 1/2"x13"



Bronze
Pencil Liner
1/2"x13"



umber


	MODULAR TILE		FLOOR TILE		DECOS			TRIMS						
Thickness														
	6 1/2" x 6 1/2" (16.5 x 16.5 cm) 5/16" (8.5mm)	13" x 13" (33.3 x 33.3 cm) 5/16" (8.5mm)	20" x 20" (50 x 50 cm) 7/16" (11mm)	13" x 13" (33.3 x 33.3 cm) Mosaic - Square 2"x2"	13" x 13" (33.3 x 33.3 cm) Mosaic - Brick 2"x4"	1" x 1" (2.5 x 2.5 cm) Floral Insert	2" x 2" (5 x 5 cm) Floral Insert	4" x 4" (10 x 10 cm) Floral Insert	6" x 13" (15 x 33.3 cm) Sanitary Cove Base**	1" x 6" (2.5 x 15 cm) Sanitary Cove Base In Angle**	1" x 6" (2.5 x 15 cm) Sanitary Cove Base Out Angle**	1/2" x 13" (1.25 x 33.3 cm) Pencil Liner**	1 1/2" x 13" (3.75 x 33.3 cm) Chair Rail**	3" x 13" (7.5 x 33.3 cm) Bullnose
Names (colors)	UJ3W	UJ3U	UJ3V	UJ34	UJ35				UJ3Z	UJ32	UJ33			UJ3Y
Cream (cream)	UJ3W	UJ3U	UJ3V	UJ34	UJ35				UJ3Z	UJ32	UJ33			UJ3Y
Golden (gold)	UHDQ	UHC3	UHC6	UHD4	UHD7				UHDZ	UJ2B	UJ2E			UHDW
Multi (multi color)	UHDR	UHC4	UHC7	UHD5	UHD8				UHD2	UJ2C	UJ2F			UHDX
Umber (red/brown)	UHDP	UHC2	UHC5	UHD3	UHD6				UHDY	UJ2A	UJ2D			UHDV
Nickel						UJ6Y	UJ6W	UJ6U				UJ6Q	UJ6N	
Bronze						UJ6Z	UJ6X	UJ6V				UJ6R	UJ6P	

Notes: * Trim is available in all colors and made to complement Modular and Floor Tile.
** Suggested for interior applications only.

APPLICATIONS	Institutional	Commercial	Residential
Floors		X	X
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



cream



caicos™ 70-71
catwalk 72-73
crystal stone 74
crystal stone II 75
divine woods™ 76
metal mania™ 77
romance collection 78
romancing the stone 79
studiom 80-81

(decorative collections)

caicos™

a collection of glass mosaics




Baby Beach
(olive)



Blue Beach
(teal)



Crane Beach
(blue/brown)



Eagle Beach
(tigers eye)



Grace Beach
(grey blue)



Shoal Bay
(beige/taupe)



DECOS®	
	12½"x13" (32x33.3 cm)
Thickness	¼" (7 mm)
Names (colors)	
Baby Beach (olive)	ULMV
Blue Beach (teal)	ULMW
Crane Beach (blue/brown)	ULMX
Eagle Beach (tigers eye)	ULMY
Grace Beach (grey blue)	ULMZ
Shoal Bay (beige/taupe)	ULN2
Notes: Mesh Mounted	

APPLICATIONS	Institutional	Commercial	Residential
Floors			
Walls / Backsplashes	X	X	X
Countertops			




For Packaging Information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



crane beach

catwalk

a collection of glass mosaics



Blue Ballet
(blue)



Chocolate Clog
(brown)



Jade Jellies
(dark green)



Olive Oxfords
(green/brown)



Pecan Pump
(beige/brown)



Smokey Stiletto
(grey)




Sable Slipper
(dark grey)



Steel Toe
(blue/grey)



Toffee Tennies
(light brown)



Walnut Wedge
(dark brown)



blue ballet



olive oxfords

DECOS®



12"x12"
(30x30 cm)

Thickness

1/8" (3 mm)

Names (colors)

Blue Ballet (blue)	UJ9S
Chocolate Clog (brown)	UJ9T
Jade Jellies (dark green)	UJ9U
Olive Oxfords (green)	UJ9V
Pecan Pump (beige/brown)	UJ9W
Sable Slipper (dark grey)	UJ9Y
Smokey Stiletto (grey)	UJ9X
Steel Toe (blue/grey)	UJ9Z
Toffee Tennies (light brown)	UJ92
Walnut Wedge (dark brown)	UJ93

Notes: * Mesh Mounted

APPLICATIONS	Institutional	Commercial	Residential
Floors			
Walls / Backsplashes	X	X	X
Countertops			



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



steel toe

crystal stone

a collection of glass/stone mosaics



Ivory
(ivory)



Caramel
(caramel)



Breeze
(light blue)



Marine
(dark blue)



Walnut
(light brown)



Coffee
(dark brown)



Purple
(purple)



Honey
(dark gold)



Gold
(gold)



ivory



marine

DECOS [®]	
12"x12" (30x30 cm)	
5/16" (8.5mm)	
Thickness	
Names (colors)	
Ivory (ivory)	LG4A
Caramel (caramel)	LG4B
Breeze (light blue)	LG4C
Marine (dark blue)	LG4D
Coffee (dark brown)	LG4E
Walnut (light brown)	LG4F
Purple (purple)	LG4G
Honey (dark gold)	LG4H
Gold (gold)	LG4J

Notes: Mesh Mounted

APPLICATIONS	Institutional	Commercial	Residential
Floors			X
Walls / Backsplashes	X	X	X
Countertops			X



For Packaging Information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

crystal stone II

a collection of glass/stone mosaics



Espresso
(brown)



Pearl
(grey)



Pewter
(dark grey)



Slate
(brown/grey)



Terracotta
(terracotta)



Espresso
(brown)



Pearl
(grey)



Pewter
(dark grey)



Slate
(brown/grey)



Terracotta
(terracotta)



	DECOS®	
	12"x12" (30x30 cm) Mosaic-Square 1/2"x 1/2" Compatible	12"x12" (30x30 cm) Mosaic-Strip Compatible
Thickness		
Names (colors)		
Espresso (brown)	UL8U	UL8Z
Pearl (grey)	UL8X	UL94
Pewter (dark grey)	UL8Y	UL95
Slate (brown/grey)	UL8V	UL92
Terracotta (terracotta)	UL8W	UL93

Notes: * Mesh Mounted

APPLICATIONS	Institutional	Commercial	Residential
Floors			X
Walls / Backsplashes	X	X	X
Countertops			



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

divine woods™

a collection of decorative accents



Light Brown
Chair Rail



Medium Brown
Chair Rail



Dark Brown
Chair Rail



Light Brown
Pencil Liner



Medium Brown
Pencil Liner



Dark Brown
Pencil Liner



Light Brown
Bamboo Liner



Medium Brown
Bamboo Liner



Dark Brown
Bamboo Liner



Light Brown
Rectangle Liner



Medium Brown
Rectangle Liner



Dark Brown
Rectangle Liner





Light Brown
Criss-Cross Liner



Medium Brown
Criss-Cross Liner



Dark Brown
Criss-Cross Liner



TRIMS				
2 1/2" x 13"	1 1/2" x 13"	1 5/8" x 13"	2" x 13"	2 9/16" x 13"
(6.5x33 cm)	(1x33 cm)	(4x33 cm)	(5x33 cm)	(6.5x33 cm)
Chair Rail Compatible	Pencil Liner Compatible	Bamboo Liner Compatible	Rectangle Liner Compatible	Criss-Cross Liner Compatible

Thickness

Names (colors)

Light Brown	ULL6	ULL9	ULLC	ULLF	ULLJ
Medium Brown	ULL7	ULLA	ULLD	ULLG	ULLK
Dark Brown	ULL8	ULLB	ULLE	ULLH	ULLL

APPLICATIONS	Institutional	Commercial	Residential
Floors			
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

metal mania™

a collection of decorative accents



Bronze
Chair Rail



Bronze
Pencil Liner



Bronze
Ridged Liner



Bronze
Wave Liner



Bronze
Link Liner



Bronze
Dot Liner



Pewter
Chair Rail



Pewter
Pencil Liner



Pewter
Ridged Liner



Pewter
Wave Liner



Pewter
Link Liner



Pewter
Dot Liner



TRIMS						
1 7/8" x 13"	5/8" x 13"	9/16" x 13"	3/4" x 13"	9/16" x 13"	1 7/8" x 13"	
(6.5x33 cm)	(1.5x33 cm)	(1.5x33 cm)	(2x33 cm)	(1.5x33 cm)	(4.5x33 cm)	
Chair Rail Compatible	Pencil Liner Compatible	Ridged Liner Compatible	Wave Liner Compatible	Link Liner Compatible	Dot Liner Compatible	
Names (colors)	ULLM	ULLP	ULLR	ULLT	ULLV	ULLX
Bronze	ULLN	ULLQ	ULLS	ULLU	ULLW	ULLY
Pewter						

APPLICATIONS	Institutional	Commercial	Residential
Floors			
Walls / Backsplashes	X	X	X
Countertops	X	X	X



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

romance collection

a collection of decorative accents



Nickel
Floral Insert



Bronze
Floral Insert



Wrought Iron
Floral Insert



Venetian Bronze
Floral Insert



Nickel
Diamond Insert



Bronze
Diamond Insert



Wrought Iron
Diamond Insert



Venetian Bronze
Diamond Insert



Nickel
Fleur de Lis Insert



Bronze
Fleur de Lis Insert



Wrought Iron
Fleur de Lis Insert



Venetian Bronze
Fleur de Lis Insert



Nickel
Dot Insert



Bronze
Dot Insert



Wrought Iron
Dot Insert



Venetian Bronze
Dot Insert



Nickel
Dot Listelli



Venetian Bronze
Dot Listelli



Bronze
Dot Listelli



Wrought Iron
Dot Listelli



Nickel
Pencil Liner



Wrought Iron
Pencil Liner



Bronze
Pencil Liner



Venetian Bronze
Pencil Liner



Nickel
Chair Rail



Wrought Iron
Chair Rail



Bronze
Chair Rail



Venetian Bronze
Chair Rail

	DECOS										TRIMS		
Thickness	1"x1" (2.5x2.5 cm) Diamond Insert Compatible	1"x1" (2.5x2.5 cm) Dot Insert Compatible	1"x1" (2.5x2.5 cm) Fleur de Lis Insert Compatible	1"x1" (2.5x2.5 cm) Floral Insert Compatible	2"x2" (5x5 cm) Diamond Insert Compatible	2"x2" (5x5 cm) Dot Insert Compatible	2"x2" (5x5 cm) Fleur de Lis Insert Compatible	2"x2" (5x5 cm) Floral Insert Compatible	4"x4" (10x10 cm) Diamond Insert Compatible	4"x4" (10x10 cm) Floral Insert Compatible	1"x13" (2.5x33.3 cm) Dot Listelli Compatible	1/2"x13" (1.3x33.3 cm) Pencil Liner Compatible	1 1/2"x13" (4x33.3 cm) Chair Rail Compatible
Names (colors)	UJ66	UJ7A	UJ89	UJ6Y	UJ64	UJ6S	UJ7E	UJ6W	UJ62	UJ6U	UJ9D	UJ6Q	UJ6N
Nickel	UJ66	UJ7A	UJ89	UJ6Y	UJ64	UJ6S	UJ7E	UJ6W	UJ62	UJ6U	UJ9D	UJ6Q	UJ6N
Bronze	UJ67	UJ7B	UJ9A	UJ6Z	UJ65	UJ6T	UJ7F	UJ6X	UJ63	UJ6V	UJ9E	UJ6R	UJ6P
Venetian Bronze	UJ8A	UJ7C	UJ9B	UJ74	UJ78	UJ68	UJ8C	UJ72	UJ76	UJ7Y	UJ9F	UJ7U	UJ7S
Wrought Iron	UJ8B	UJ7D	UJ9C	UJ75	UJ79	UJ69	UJ8D	UJ73	UJ77	UJ7Z	UJ9G	UJ7V	UJ7T

APPLICATIONS	Institutional	Commercial	Residential
Floors			
Walls / Backsplashes		X	X
Countertops			



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

romancing the stone

a collection of decorative accents



Ivory
Floral Insert



Noce
Floral Insert



Ivory
Diamond Insert



Noce
Diamond Insert



Ivory
Fleur de Lis Insert



Noce
Fleur de Lis Insert



Ivory
Fleur de Lis Insert
with Bronze Inlay



Noce
Fleur de Lis Insert
with Bronze Inlay



Ivory
Dot Insert



Noce
Dot Insert



Ivory
Dot Listelli



Noce
Dot Listelli



Ivory
Weave Insert



Noce
Weave Insert



Ivory
Weave
Listelli



Noce
Weave Listelli



Ivory
Renaissance Insert



Noce
Renaissance Insert



Ivory
Renaissance Border



Noce
Renaissance Border



Ivory
Pencil Liner



Ivory
Chair Rail



Noce
Pencil Liner



Noce
Chair Rail

	DECOS								TRIMS			
Thickness	2"x2" (5x5 cm) Diamond Insert Compatible	2"x2" (5x5 cm) Dot Insert Compatible	2"x2" (5x5 cm) Fleur de Lis Insert Compatible	2"x2" (5x5 cm) Fleur de Lis Insert with Bronze Inlay Compatible	2"x2" (5x5 cm) Floral Insert Compatible	2"x2" (5x5 cm) Weave Insert Compatible	2"x2" (5x5 cm) Renaissance Insert Compatible	1"x13" (2.5x33.3 cm) Dot Listelli Compatible	1"x13" (1.3x33.3 cm) Weave Listelli Compatible	3"x13" (8x33.3 cm) Renaissance Border Compatible	1/2"x13" (1.3x33.3 cm) Pencil Liner Compatible	1 1/2"x13" (4x33.3 cm) Chair Rail Compatible
Names (colors)	Ivory	Noce	Ivory	Noce	Ivory	Noce	Ivory	Noce	Ivory	Noce	Ivory	Noce
	UL4E	UL4G	UL4Q	UL4S	UL4J	UL4N	UL4L	UL4Y	UL4W	UL54	UL4U	UL52
	UL4F	UL4H	UL4R	UL4T	UL4K	UL4P	UL4M	UL4Z	UL4X	UL55	UL4V	UL53


APPLICATIONS	Institutional	Commercial	Residential
Floors			
Walls / Backsplashes		X	X
Countertops			



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9

studiom

a collection of glass mosaics



Flamenco
(blue)




Jive
(multicolor)




Samba
(rust)



Swing
(ivory)



Tango
(light green)



Waltz
(dark green)



Flamenco
(blue)



Jive
(multicolor)



Samba
(rust)



Swing
(ivory)





Tango
(light green)



Waltz
(dark green)



DECOS*		
		
13"x13" (33.3x33.3 cm)	13"x13" (33.3x33.3 cm)	
Mosaic-Square 1/2"x 1/2"	Mosaic-Brick 1 1/2"x 1/2"	
Compatible	Compatible	

Thickness

Names (colors)		
Flamenco (blue)	UJ98	UJAE
Jive (multicolor)	UJ99	UJAF
Samba (rust)	UJ95	UJAB
Swing (ivory)	UJ97	UJAD
Tango (light green)	UJ94	UJAA
Waltz (dark green)	UJ96	UJAC

Notes: * Paper Face Mounted

APPLICATIONS	Institutional	Commercial	Residential
Floors			X
Walls / Backsplashes	X	X	X
Countertops			



For Packaging information on this product see pages 77-83
For ASTM Test Results on this product see pages 8-9



tango

decorative accents

Listelli with Corner-Insert



UF47 Tebe Gold / Brown
Listelli
3" x 12"



UC2P Tebe
Corner-Insert
3" x 3"



UF46 Tebe Beige / Gray
Listelli
3" x 12"



UC2N Tebe
Corner-Insert
3" x 3"



UF48 Tebe Off-White
Listelli
3" x 12"



UC2Q Tebe
Corner-Insert
3" x 3"



UG43 Copper Strata
Listelli
1" x 12"



UG44 Copper Strata
Corner-Insert
1" x 1"

Natural Stone Listelli



UD61 Lausanne Cream
Listelli
2 3/4" x 13"



UD62 Lausanne Walnut
Listelli
2 3/4" x 13"

Decorative Glass



UF6U Glass Green
Liner
3/8" x 8"



UF6X Glass Green
Insert
1 1/16" x 1 1/16"



UF6V Glass Orange
Liner
3/8" x 8"



UF6Y Glass Orange
Insert
1 1/16" x 1 1/16"



UF6T Glass Gold
Liner
3/8" x 8"



UF6W Glass Gold
Insert
1 1/16" x 1 1/16"



Other Decorative Options



U836 Brushed Nickel
Listelli
2" x 12"



U837 Autumn Bronze
Listelli
2" x 12"



AG3J Palace
Border
1 1/4"x13"



ULEB Silk
Liner with glass
5/8" x 12"




MHT2 Stone Anthracite
Listelli
2" x 12"



UG4Q Glamour
Listelli
2" x 13"




ULEE Silk
Listelli
2" x 12"




MHT3 Stone Green
Listelli
2" x 12"



FB2G Serena
Corner-Insert
4" x 4"



M70E Soho Beige
Deco
12"x24"



M70F Soho Grey
Deco
12"x24"



M70D Soho Brown
Deco
12"x24"



M70C Soho Anthracite
Deco
12"x24"



ULJA Cosmopolitan
Decorative Inlay
12"x24"



ULJB Martini
Decorative Inlay
12"x24"



ULJC Sidecar
Decorative Inlay
12"x24"



ULJD Spritzer
Decorative Inlay
12"x24"

Fan Mosaic - 52"x30" Mesh Mounted



M6ZR i Porfidi Rosso




M6ZU i Porfidi Antracite




M6ZT i Porfidi Verde

decorative accents


Mosaic-Square 1"x1" - 13"x13" Mesh Mounted



UF2Z Rust



UF2Y Moss



UF23 Smoke



UF22 Sand



FC2K Acqua




FC2L Argilla




FC2M Creta




FC2N Elios




UE4V Chestnut



UE4W Ochre



UE4X Sage



UE4Y Taupe


Mosaic-Square 2"x2" - 13"x13" Mesh Mounted



UF25 Rust



UF24 Moss



UF27 Smoke



UF26 Sand



FC2P Acqua



FC2Q Argilla



FC2R Creta




FC2S Elios



MG5Q Avorio




MG5R Radica



UE4Z Chestnut




UE4E Ochre



UE43 Sage



UE44 Taupe



UHD5 Multi



UJ34 Cream



UHD3 Umber



UHD4 Golden



ULEW Distinguished



ULEU Elegant



ULEV Sophisticated

Mosaic-Square 3"x3" - 13"x13" Mesh Mounted



UL2W Babylon



UL2X Chaco Canyon




UL2Y Crystal River




UL2Z Troy

Mosaic-Square 2"x2" - 12"x12" Mesh Mounted




M54U Stone Ivory




M54W Stone Anthracite




M54X Stone Green



ULBH Imperial Mix



ULBG Imperial Tan



ULCK Lava River



UL89 Lost Sea



UL8A Mammoth



UL8B Sequoyah




ULDH Grigio




ULDJ Noce



ULDG Oro



ULJE Cosmopolitan



ULJF Martini



ULJG Sidecar



ULJH Spritzer



ULPJ Greve



ULPK Pienza



ULPL Volterra


Mosaic-Square 3"x3" - 12"x12" Mesh Mounted



M6ZK i Porfidi Rosso



M6ZL i Porfidi Verde



M6ZM i Porfidi Antracite

Mosaic-Diamond 1"x2" - 13"x13" Mesh Mounted



FC2T Acqua



FC2U Argilla



FC2V Creta



FC2W Elios

Mosaic-Diamond 2"x3½" - 13"x13" Mesh Mounted



UF29 Rust



UF28 Moss



UF3B Smoke



UF3A Sand




FC2X Acqua



FC2Y Argilla



FC2Z Creta



FC22 Elios

Mosaic-Diamond 5¾"x3¼" - 12"x12" Mesh Mounted




DBRW Grey




DBRX Brown

Mosaic-Octagon 2"x2" - 13"x13" Mesh Mounted



UHA6 Andretti **UHA7** Armstrong **UHA8** Sampras

Mosaic-Hexagon 1¾"x1½" - 13"x13" Mesh Mounted



UK2V Calacatta Pearl **UK2W** Marfil Cream **UK2X** Emperador Mocha

Mosaic-Brick 2"x4" - 13"x13" Mesh Mounted



UHD8 Multi **UJ35** Cream **UHD6** Umber **UHD7** Golden **ULBA** Basic Black **ULBB** Blissful Brown **ULBC** Graceful Grey **ULBD** Simplistic Smoke **ULBE** Trendy Taupe **ULBF** Wondrous White

Mosaic-Brick 1"x2" - 13"x13" Mesh Mounted



UE46 Ochre **UE45** Chestnut **UE47** Sage **UE48** Taupe

Mosaic-Brick 1½"x2½" - 12"x12" Mesh Mounted



M54P Stone Ivory **M54R** Stone Anthracite **M54T** Stone Green

Mosaic - Mix - 12"x12" Mesh Mounted



ULE8 Silk

Mosaic Random - 12"x12" Mesh Mounted



M6ZN i Porfidi Rosso **M6ZP** i Porfidi Verde **M6ZQ** i Porfidi Antracite

Wall Mosaic - 12"x12" Mesh Mounted



M6Z9 Soho Brown **M70A** Soho Anthracite

Pinwheel Mosaic - 13"x13" Mesh Mounted



UL32 Babylon **UL33** Chaco Canyon **UL34** Crystal River **UL35** Troy

Strip Mosaic - 13"x13" Mesh Mounted




UL36 Babylon **UL37** Chaco Canyon **UL38** Crystal River **UL39** Troy

Strip Mosaic - 12"x24" Mesh Mounted



ULJJ Cosmopolitan **ULJK** Martini **ULJL** Sidecar **ULJM** Spritzer



(packaging)

packaging information

Aida	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	12" x 12"	15	14.53	50	48	697.44	2400	5/16" (8.3 mm)
Floor Tile	18" x 18"	7	15.26	63	32	488.32	2016	3/8" (9.5mm)
Corner-Insert	3" x 3"	6		2				Compatible
Listelli	3" x 12"	6		6				Compatible
Bullnose	3" x 12"	20		21				Compatible

American Estates™	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	6" x 36" R	9	12.75	63	39	497.25	2512	3/8" (10 mm)
Floor Tile	9" x 36" R	6	13.01	63	36	468.36	2323	3/8" (10 mm)

Archaeology	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6½" x 6½"	32	9.38	42	51	478.38	2142	7/16" (10.5 mm)
Modular Tile	6½" x 13"	16	9.46	42	51	482.46	2142	7/16" (10.5 mm)
Modular Tile	13" x 13"	13	15.52	73	38	589.76	2774	7/16" (10.5 mm)
Floor Tile	20" x 20"	6	16.15	79	24	387.60	1896	7/16" (11 mm)
Floor Tile	12" x 24"	5	9.69	50	40	387.60	2000	7/16" (11 mm)
Mosaic - Square 3"x3"	13" x 13"	10		39				Compatible
Pinwheel Mosaic	13" x 13"	10		39				Compatible
Strip Mosaic	12" x 12"	10		39				Compatible
Bullnose	3" x 13"	20		21				Compatible

Arctic Bay	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6" x 6"	40	9.69	35	80	775.20	2800	5/16" (8.3 mm)
Modular Tile	12" x 12"	15	14.53	50	48	697.44	2400	5/16" (8.3 mm)
Floor Tile	18" x 18"	7	15.26	63	32	488.32	2016	3/8" (9.5mm)
Bullnose	3" x 12"	20		21				Compatible

Artea Stone	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6½" x 6½"	36	10.55	42	51	538.05	2142	7/16" (10.5 mm)
Modular Tile	6½" x 13"	18	10.65	42	51	543.15	2142	7/16" (10.5 mm)
Modular Tile	13" x 13"	15	17.90	73	38	680.20	2774	7/16" (10.5 mm)
Floor Tile	20" x 20"	6	16.15	79	24	387.60	1896	7/16" (11 mm)
Sanitary Cove Base	6" x 8"	24		24				Compatible
Sanitary Cove Base In Angle	1" x 6"	6		1				Compatible
Sanitary Cove Base Out Angle	1" x 6"	6		1				Compatible
Bullnose	3" x 13"	20		21				Compatible

Campione	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	3¼" x 6½"	72	10.55	42	51	538.05	2142	5/16" (8.5 mm)
Modular Tile	6½" x 6½"	36	10.55	42	51	538.05	2142	5/16" (8.5 mm)
Modular Tile	13" x 13"	15	17.91	73	38	680.58	2774	5/16" (8.5 mm)
Floor Tile	20" x 20"	6	16.15	79	24	387.60	1896	7/16" (10.5 mm)
Mosaic - Octagon 2"x2"	13" x 13"	10		39				Compatible
Bullnose	3" x 13"	20		21				Compatible

Caicos™	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Mosaic	12½" x 13"	10	11.41	29				1/4" (7 mm)

Catwalk	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Random Mosaic	12" x 12"	10		13				1/8" (3.0 mm)

Cimmaron™	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6" x 6"	40	9.69	35	80	775.20	2800	5/16" (7.5 mm)
Modular Tile	12" x 12"	15	14.53	50	48	697.44	2400	5/16" (7.5 mm)
Floor Tile	18" x 18"	7	15.26	63	32	488.32	2016	3/8" (9 mm)
Corner-Insert	1" x 1"	8		2				Compatible
Listelli	1" x 12"	6		2				Compatible
Quarter Round	1" x 6"	10		2				Compatible
Quarter Round Angle	1" x 1"	4		1				Compatible
Sanitary Cove Base	6" x 8"	24		26				Compatible
Sanitary Cove Base In Angle	1" x 6"	6		2				Compatible
Sanitary Cove Base Out Angle	1" x 6"	6		2				Compatible
Bullnose	3" x 12"	20		21				Compatible

Crystal Stone	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Mosaic	12" x 12"	6	5.81	20				5/16" (8.5 mm)

Crystal Stone II	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Mosaic	12" x 12"	6	5.81	21				Compatible

Divine Woods™	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Chair Rail	2 1/2" x 13"	11		15				Compatible
Pencil Liner	1/2" x 13"	12		4				Compatible
Bamboo Liner	1 5/8" x 13"	10		5				Compatible
Rectangle Liner	2" x 13"	18		13				Compatible
Criss-Cross Liner	2 9/16" x 13"	15		16				Compatible

Essentials	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	12" x 12"	16	15.50	50	48	744.00	2531	5/16" (7.5 mm)
Floor Tile	18" x 18"	8	17.44	66	32	558.08	2156	5/16" (8.5 mm)
Floor Tile	12" x 24"	6	11.63	57	40	465.20	2324	3/8" (10 mm)
Mosaic - Brick 2"x4"	12" x 12"	10		45				Compatible
Cove Base	6" x 12"	12		26				Compatible
Cove Base In Angle	1" x 6"	6		2				Compatible
Cove Base Out Angle	1" x 6"	6		2				Compatible
Bullnose	3" x 12"	20		21				Compatible

Fontanella™	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	20" x 20" R	6	16.15	79	24	387.60	1896	3/8" (10 mm)
Floor Tile	18" x 36" R	3	12.90	63	33	425.70	2134	3/8" (10 mm)

Forest Impressions™	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	12" x 12"	15	14.53	50	48	697.44	2400	5/16" (8.3 mm)
Floor Tile	18" x 18"	7	15.26	63	32	488.32	2016	3/8" (9.5 mm)
Wall Tile	8" x 12"	25	16.50	50	60	990.00	3000	5/16" (7.4 mm)
Insert	1 3/16" x 1 3/16"	24		1				Compatible
Liner	3/8" x 8"	12		2				Compatible
Floor Bullnose	3" x 12"	20		21				Compatible
Wall Bullnose	2 1/2" x 8"	20		10				Compatible
Wall Bullnose Corner	2 1/2" x 2 1/2"	20		2				Compatible

packaging information

Harmony™	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	6" x 36" R	9	12.75	63	39	497.25	2512	3/8" (10 mm)
Floor Tile	9" x 36" R	6	13.01	63	36	468.36	2323	3/8" (10 mm)

i Porfidi di Marazzi	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6" x 6"	38	8.60	38	56	481.60	2122	3/8" (10 mm)
Modular Tile	6" x 12"	18	8.43	38	60	505.80	2293	3/8" (10 mm)
Modular Tile	12" x 12"	13	12.59	53	40	503.60	2125	3/8" (10 mm)
Mosaic - Square 3"x3"	12" x 12"	4		17				Compatible
Random Mosaic	12" x 12"	4		17				Compatible
Fan Mosaic	52" x 30"	1		21				Compatible
Bullnose	3" x 12"	26		29				Compatible

Imperial Slate	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6" x 6"	40	9.70	35	80	776.00	2800	5/16" (8.5 mm)
Modular Tile	12" x 12"	15	14.53	50	48	697.44	2400	5/16" (8.5 mm)
Floor Tile	16" x 16"	8	13.78	54	32	440.96	1728	5/16" (9 mm)
Mosaic - Square 2"x2"	12" x 12"	10		39				Compatible
Bullnose	3" x 12"	20		21				Compatible

Jade	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6½" x 6½"	36	10.55	42	51	538.05	2142	5/16" (8.5 mm)
Modular Tile	13" x 13"	15	17.90	73	38	680.20	2774	5/16" (8.5 mm)
Floor Tile	20" x 20"	6	16.15	79	24	387.60	1896	7/16" (11 mm)
Mosaic - Square 1"x1"	13" x 13"	10		33				Compatible
Mosaic - Square 2"x2"	13" x 13"	10		39				Compatible
Mosaic - Brick 1"x2"	13" x 13"	10		36				Compatible
Bullnose	3" x 13"	20		20				Compatible

Livigno™	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	12" x 12"	15	14.53	50	48	697.44	2400	5/16" (8 mm)
Floor Tile	18" x 18"	8	17.44	66	32	558.08	2156	3/8" (9 mm)
Mosaic - Square 2"x2"	12" x 12"	10		39				Compatible
Bullnose	3" x 12"	20		21				Compatible

Lounge14™	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	12" x 24" R	5	9.51	50	40	380.40	2000	3/8" (9 mm)
Floor Tile	9" x 36" R	6	13.01	63	36	468.36	2323	3/8" (9 mm)
Floor Tile	18" x 36" R	3	12.90	63	33	425.70	2134	3/8" (9 mm)
Decorative Inlay	12" x 24" R	5		50	40		2000	Compatible
Strip Mosaic	12" x 24"	4		41				Compatible
Mosaic - Square 2"x2"	12" x 12"	10		39				Compatible
Cove Base	6" x 12"	12		26				Compatible
Cove Base Out Angle	1" x 6"	6		2				Compatible
Bullnose	3" x 24"	15		25				Compatible

Metal Mania™	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Chair Rail	17/8" x 13"	10		11				Compatible
Pencil Liner	5/8" x 13"	10		3				Compatible
Ridged Liner	9/16" x 13"	10		2				Compatible
Wave Liner	3/4" x 13"	10		3				Compatible
Link Liner	9/16" x 13"	10		2				Compatible
Dot Liner	17/8" 13"	10		7				Compatible

Oxford	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Wall Tile	5" x 15"	24	12.17	42	54	657.18	2268	1/4" (7 mm)
Wall Tile	10" x 15"	12	12.27	42	54	662.58	2268	1/4" (7 mm)
Mosaic	12" x 12"	4		18				Compatible
Finishing Rail	5" x 15"	4		7				Compatible
Corner Angle	5" x 1"	4		1				Compatible

Perseo	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	24" x 24" R	3	11.63	61	40	465.20	2440	7/16" (10.5 mm)

Province	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	12" x 12"	16	15.50	50	48	744.00	2531	5/16" (7.5 mm)
Floor Tile	18" x 18"	8	17.44	66	32	558.08	2156	5/16" (8 mm)
Mosaic - Square 2"x2"	12" x 12"	10		39				Compatible
Bullnose	3" x 12"	20		21				Compatible

Riflessi di Legno	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	4" x 24" R	15	9.32	50	40	372.80	2000	7/16" (11 mm)
Modular Tile	6" x 24" R	10	9.46	50	40	378.40	2000	7/16" (11 mm)
Modular Tile	12" x 24" R	5	9.51	50	40	380.40	2000	7/16" (11 mm)

Romance Collection	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Insert	1" x 1"	10		1				Compatible
Insert	2" x 2"	8		1				Compatible
Insert (Floral)	4" x 4"	8		4				Compatible
Insert (Diamond)	4" x 4"	8		2				Compatible
Pencil Liner	½" x 13"	10		3				Compatible
Listelli	1" x 13"	10		4				Compatible
Chair Rail	1½" x 13"	10		8				Compatible

Romancing the Stone	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Insert	2" x 2"	8		1				Compatible
Pencil Liner	½" x 13"	10		3				Compatible
Chair Rail	1½" x 13"	10		8				Compatible
Listelli	1" x 13"	10		3				Compatible
Listelli	3" x 13"	10		3				Compatible

San Savino™	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	12" x 24"	6	11.63	57	40	465.20	2324	3/8" (10 mm)
Floor Tile	20" x 20"	6	16.15	79	24	387.60	1896	3/8" (10 mm)
Floor Tile	18" x 36"	3	13.44	63	33	443.52	2134	3/8" (10 mm)
Mosaic - Square 2"x2"	12" x 12"	10		39				Compatible
Cove Base	6" x 12"	12		26				Compatible
Cove Base Out Angle	1" x 6"	6		1				Compatible
Bullnose	3" x 12"	20		21				Compatible

Saturnia	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	13" x 13"	15	17.90	73	38	680.20	2774	7/16" (10.5 mm)
Floor Tile	20" x 20"	6	16.15	79	24	387.60	1896	7/16" (11 mm)
Mosaic - Square 1"x1"	13" x 13"	10		38				Compatible
Mosaic - Square 2"x2"	13" x 13"	10		45				Compatible
Mosaic - Diamond 1"x2"	13" x 13"	10		38				Compatible
Mosaic - Diamond 2"x3½"	13" x 13"	10		45				Compatible
Insert	4" x 4"	4		3				Compatible
Bullnose	3" x 13"	20		21				Compatible

packaging information

Silk	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	12" x 24"	6	11.63	57	40	465.20	2324	3/8" (10 mm)
Floor Tile	18" x 36"	3	13.44	63	33	443.52	2134	3/8" (10 mm)
Floor Tile	20" x 20"	6	16.15	79	24	387.60	1896	3/8" (10 mm)
Liner with Glass	5/8" x 12"	9		3				Compatible
Listelli	2" x 12"	6		4				Compatible
Mixed Mosaic	12" x 12"	10		39				Compatible
Mosaic - Square 2"x2"	12" x 12"	10		39				Compatible
Cove Base	6" x 12"	12		26				Compatible
Cove Base In Angle	1" x 6"	6		2				Compatible
Cove Base Out Angle	1" x 6"	6		2				Compatible
Bullnose	4" x 24"	15		47				Compatible

Soho	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	12" x 24" R	5	9.69	48	48	465.12	2323	7/16" (10.5 mm)
Modular Tile	24" x 24" R	3	11.63	58	40	465.00	2300	7/16" (10.5 mm)
Modular Tile	12" x 48" R	3	11.63	62	20	232.60	1239	7/16" (10.5 mm)
Modular Tile	24" x 48" R	2	15.50	80	30	465.00	2407	7/16" (10.5 mm)
Fascia	12" x 24"	4		41				Compatible
Decorative Modulo	12" x 12"	4		20				Compatible
Sanitary Cove Base	6" x 12"	12		26				Compatible
Sanitary Cove Base In Angle	1" x 6"	6		2				Compatible
Sanitary Cove Base Out Angle	1" x 6"	6		2				Compatible
Bullnose	4" x 24"	13		39				Compatible

Solaris	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	12" x 12"	15	14.53	50	48	697.44	2400	5/16" (8.3 mm)
Floor Tile	18" x 18"	7	15.26	63	32	488.32	2016	3/8" (9.5 mm)
Border	1" x 13"	6		2				Compatible
Bullnose	3" x 12"	20		21				Compatible

Stone Age	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6" x 6"	40	9.69	35	80	775.20	2800	5/16" (8.3 mm)
Modular Tile	12" x 12"	15	14.53	50	48	697.44	2400	5/16" (8.3 mm)
Floor Tile	18" x 18"	7	15.26	63	32	488.32	2016	3/8" (9.5 mm)
Mosaic - Square 2"x2"	12" x 12"	10		39				Compatible
Bullnose	3" x 12"	20		21				Compatible

Stone Collection	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	12" x 12" R	11	10.66	54	40	426.40	2177	7/16" (10.5 mm)
Modular Tile	12" x 24" R	5	9.69	50	48	465.12	2379	7/16" (10.5 mm)
Modular Tile	24" x 24" R	3	11.63	60	40	465.00	2387	7/16" (10.5 mm)
Modular Tile	12" x 48" R	3	11.63	60	20	232.60	1206	7/16" (10.5 mm)
Modular Tile	24" x 48" R	2	15.50	80	30	465.00	2408	7/16" (10.5 mm)
Floor Tile	24" x 24"	3	11.63	61	40	465.00	2442	7/16" (10.5 mm)
Border	2" x 12"	6		7				Compatible
Mosaic - Square 2"x2"	12" x 12"	4		21				Compatible
Mosaic - Brick 1.5"x2.5"	12" x 12"	4		21				Compatible
Sanitary Cove Base	6" x 12"	12		26				Compatible
Sanitary Cove Base In Angle	1" x 6"	6		2				Compatible
Sanitary Cove Base Out Angle	1" x 6"	6		2				Compatible
Bullnose	3" x 12"	20		26				Compatible

StudioM	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Mosaic - Square 5/8"x 5/8"	13" x 13"	10		29				Compatible
Mosaic - Brick 1 1/4"x 5/8"	13" x 13"	10		29				Compatible

Sumatra	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6" x 6"	40	9.69	35	80	775.20	2800	5/16" (8 mm)
Modular Tile	12" x 12"	15	14.53	50	48	697.44	2400	5/16" (8 mm)
Floor Tile	18" x 18"	7	15.26	63	32	488.32	2016	3/8" (9 mm)
Bullnose	3" x 12"	20		21				Compatible

Super Saltillo	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6" x 6"	40	9.69	35	80	775.20	2800	3/8" (10 mm)
Modular Tile	12" x 12"	15	14.53	50	48	697.44	2400	3/8" (10 mm)
Floor Tile	18" x 18"	7	15.26	63	32	488.32	2016	3/8" (10 mm)
Bullnose	3" x 12"	20		21				Compatible

Timeless Collection	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	3¼" x 6½" R	72	10.22	42	51	521.22	2142	5/16" (8.5 mm)
Modular Tile	13" x 13" R	15	17.43	67	38	662.34	2546	5/16" (8.5 mm)
Floor Tile	12" x 24" R	5	9.51	50	40	380.40	2000	7/16" (11 mm)
Floor Tile	20" x 20" R	6	15.96	79	24	383.04	1896	7/16" (11 mm)
Floor Tile	18" x 36" R	3	12.90	63	33	425.70	2134	3/8" (10 mm)
Mosaic - Hexagon 1¾"x 1½"	13" x 13"	10		39				Compatible
Bullnose	3" x 13"	20		21				Compatible

Tosca	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6½" x 6½"	36	10.55	42	51	538.05	2142	7/16" (10.5 mm)
Modular Tile	6½" x 13"	18	10.65	42	51	543.15	2142	7/16" (10.5 mm)
Modular Tile	13" x 13"	15	17.90	73	38	680.20	2774	7/16" (10.5 mm)
Floor Tile	20" x 20"	6	16.15	79	24	387.60	1896	7/16" (10.5 mm)
Listelli	1¼" x 13"	6		2				Compatible
Bullnose	3" x 13"	20		21				Compatible

Treverkchic	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Floor Tile	6" x 48" R	6	11.63	58	24	279.12	1392	3/8" (10 mm)
Floor Tile	8" x 48" R	3	7.75	40	40	310.00	1600	3/8" (10 mm)
Floor Tile	12" x 48" R	3	11.60	60	20	232.60	1200	3/8" (10 mm)

Vesale Stone	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6½" x 6½"	36	10.55	42	51	538.05	2142	3/8" (10 mm)
Modular Tile	13" x 13"	15	17.90	73	38	680.20	2774	3/8" (10 mm)
Floor Tile	10" x 20" R	10	13.46	64	28	376.88	1792	7/16" (10.5 mm)
Floor Tile	20" x 20"	6	16.15	79	24	387.60	1896	7/16" (10.5 mm)
Mosaic - Square 1"x1"	13" x 13"	10		33				Compatible
Mosaic - Square 2"x2"	13" x 13"	10		39				Compatible
Mosaic - Diamond 2"x3½"	13" x 13"	10		45				Compatible
Bullnose	3" x 13"	20		22				Compatible

Walnut Canyon	Sizes	Carton Pcs	Carton Sq. Ft.	Carton Weight (lbs.)	Cartons Per Pallet	Pallet Sq. Ft.	Pallet Weight (lbs.)	Tile Thickness
Modular Tile	6½" x 6½"	36	10.55	42	51	538.05	2142	5/16" (8.5 mm)
Modular Tile	13" x 13"	15	17.90	73	38	680.20	2774	5/16" (8.5 mm)
Floor Tile	20" x 20"	6	16.15	79	24	387.60	1896	5/16" (8.5 mm)
Mosaic - Square 2"x2"	13" x 13"	10		39				Compatible
Mosaic - Brick 2"x4"	13" x 13"	10		45				Compatible
Sanitary Cove Base	6" x 13"	12		26				Compatible
Sanitary Cove Base In Angle	1" x 6"	6		2				Compatible
Sanitary Cove Base Out Angle	1" x 6"	6		2				Compatible
Bullnose	3" x 13"	20		21				Compatible

All American Marazzi Tile products are dry pressed and manufactured by the monocottura (single-fired) process. The monocottura process was patented worldwide by The Marazzi Group in 1971 and is still the state-of-the-art technology in glazed ceramic floor and wall tile. American Marazzi Tile's monocottura products are more impact resistant than bicottura (twice-fired) products, are frost resistant and have a flat back for easier thin-set installation.

American Marazzi Tile's glazed ceramic and porcelain Floor Tile are suggested for most interior residential and commercial floor and wall applications as well as for most vertical and horizontal exterior applications. Where dynamic coefficient of friction is a concern, see ratings for particular product series.

GLAZED CERAMIC TILE

Floor Tile American Marazzi Tile's residential and commercial glazed ceramic Floor Tile are prized nationwide and represent the highest achievement in both quality and design. American Marazzi Tile's glazed ceramic Floor Tile products are produced with a porosity range of 2.0% to 5.0%, making them stronger and more impact resistant. These products reflect state-of-the-art glaze technology which allows aesthetic details in gloss and patterns never before accomplished.

Wall Tile American Marazzi Tile's large-scale, high-end, glazed ceramic wall tile combine the elegance of classic wall stones with the efficiencies of the monocottura process. Intricate silk-screened designs and trims are created on a non-vitreous body with a porosity range greater than 7%. These products are designed for interior wall usage in residential as well as commercial settings. A limited number of these products are also suitable for residential bathroom floor use; see Abrasion Resistance / Suggested Applications section for each product series.

GLAZED/UNGLAZED PORCELAIN TILE

Floor Tile The same technical characteristics found in American Marazzi Tile's unglazed porcelain tile are taken to new heights with American Marazzi Tile's unique glazed porcelain tile. Structured surfaces, rustic appearance and variegated veining and shading combine the benefits of unglazed porcelain tile — impervious, frost resistant, chemical resistant — with the aesthetic capabilities of glazed ceramic tile. All of American Marazzi Tile's porcelain tile products are produced with a porosity less than 0.50%.

Product Variations Color and other aesthetic features shown in this catalog are as close as the limitation of the printing process will allow and may vary from actual tile colors. Final selection should be made from actual tile samples. Samples of current inventory should be requested prior to order shipment since color, shade, finish and caliber (size) variations may exist from one production run to the next due to the inherent characteristics of fired clay products. Care should be taken to match colors and sizes when replacing tile or mixing different stocks. Additionally, caliber and shade should be checked when modularity is a concern. American Marazzi Tile cartons are clearly marked with product code, shade and caliber (where applicable) for easy identification.

Trim Consult each product series in this catalog for available trim. Trim should be ordered at same time as modular and Floor Tile to minimize color, finish and size variations. Verify the compatibility of trim with modular and Floor Tile before installation.

Availability American Marazzi Tile products are offered at over 250 independent stocking distributors throughout the United States, Canada, Mexico and the Caribbean. To locate your nearest distributor call American Marazzi Tile Customer Service at (972) 226-0110.

American Marazzi Tile products are tested to ensure that they meet or exceed the ANSI A137.1-1988 ceramic tile standards. Other special testing for slip-resistance (dynamic coefficient of friction), abrasion resistance, chemical resistance, impact resistance, porosity/water absorption, breaking strength, warpage and wedging is performed to maintain stringent levels of quality.

Abrasion Resistance / Suggested Applications Glazed ceramic and porcelain tile normally carry a abrasion resistance rating. Although there are no official industry standards, most manufacturers give their tile a rating number from 1 to 4+ according to the results of the Porcelain Enamel Institute (PEI) abrasion test, recommended by the American Society for Testing and Materials (ASTM).

In over 60 years of experience throughout the world, The Marazzi Group has learned that PEI test results alone do not completely represent the practical behavior of a glazed ceramic or porcelain tile. Therefore, American Marazzi Tile's Floor Tile products are subjected to several other rigorous tests which also measure glaze density, glaze cleanliness after wear and permanence of gloss level after wear. According to this unique rating procedure, each American Marazzi Tile product series has been assigned a abrasion resistance rating number which is shown in this catalog and on merchandising materials. Abrasion resistance ratings are not representative of slip-resistance. Where dynamic coefficient of friction is a concern, see specific ratings for each product series.

Class 0 - Tile in this class should not be exposed to wear/traffic or aggressive maintenance practices and is generally used on walls.

Class I - Tile in this class may withstand soft-soled foot traffic, provided that dirt and/or other abrasives are not present on the wear surface. Class I tile should not be used in areas with direct access to the outside or large amounts of foot traffic.

Class II - Tile in this class may withstand soft-soled and some normal foot traffic provided the dirt and/or other abrasives are kept to a minimum. Class II tile should not be used in areas with direct access to the outside, large amounts of foot traffic, or areas exposed to abnormal footwear.

Class III - Tile in this class may withstand normal footwear and regular traffic, with some dirt and/or other abrasives present in limited quantities. Tile in this class may be used in light commercial installations with limited foot traffic and with no direct access to the outside.

Class IV - Tile in this class may withstand heavier amounts of traffic with greater amounts of dirt and/or other abrasives present.

Class V - Tiles in this class may withstand constant foot traffic with larger amounts of dirt and/or other abrasives.

Acid & Alkali Resistance American Marazzi Tile's glazed ceramic and porcelain tile offer considerable resistance to most acids, alkalies and other corrosive substances. Resistance values vary depending on the type of glaze used, color and finish of the product.

American Marazzi Tile does not recommend acid cleaning for either glazed ceramic or porcelain tile.

Dynamic Coefficient of Friction Water, oil, grease or other fluids create slippery conditions. When installing floors in areas with exposure to these conditions, a minimum D.C.O.F. value of 0.42 is required. Additionally, extra caution is required with regards to product selection and proper maintenance. Visit www.tcnatle.com for complete information regarding the DCOF Acutest test method and values.

These American Marazzi Tile products meet or exceed a minimum dynamic coefficient of friction of 0.42 (wet) when tested in accordance with ASTM DCOF AcuTestSM:

- | | | | |
|-----------------------|-----------------------|----------------|------------------------|
| • Aida | • American Estates™ | • Archaeology | • Arctic Bay |
| • Artea Stone | • Campione | • Cimmaron™ | • Essentials |
| • Fontanella™ | • Forest Impressions™ | • Harmony™ | • i Porfidi di Marazzi |
| • Imperial Slate | • Jade | • Lounge14™ | • Province |
| • Riflessi di Legno | • San Savino™ | • Saturnia | • Silk |
| • Soho | • Solaris | • Stone Age | • Stone Collection |
| • Timeless Collection | • Treverkchic | • Vesale Stone | • Walnut Canyon |

The dynamic coefficient of friction may vary within and between production runs because of the inherent characteristics of fired clay products.

Tile should be maintained on a regular and frequent basis to prevent buildup of soil, grease, residue, soap detergents, sealers, dampness, liquids, etc., which may reduce the dynamic coefficient of friction; see Maintenance section for each product series.

Care and judgment should be used when selecting any hard surface flooring to be installed in areas where dampness, liquids, grease or inadequate maintenance is likely to be encountered.

Installation American Marazzi Tile's first choice products are calibrated (where applicable) for easier, more professional installation. Upon setting, choose tile alternatively from different boxes. It is recommended that all installations be thoroughly cleaned immediately following grouting to remove all grout residue. Do not install tile that is ≥ 18" in a brick / staggered pattern without first checking lippage at T-joints. It is recommended to have a maximum of 33% offset to avoid lippage when installing a brick/staggered pattern with tiles greater than 18" in length.

Selection of specific setting materials and grout are dependent upon subsurface, installation environment and the possibility of exposure to liquids, acids, etc. American Marazzi Tile recommends the installation procedures indicated in the current Tile Council of America "Handbook for Ceramic Tile Installation" or those recommended by the Ceramic Tile Institute of America.

Maintenance Most American Marazzi Tile glazed ceramic and porcelain tile require minimal maintenance. Either can generally be cleaned with clear water and/or a Ph neutral liquid cleaner (soapless). Follow with a clear water rinse and wipe dry to prevent film formation. As with most porcelains, spilled liquids may stain the light-colored products if not promptly removed. Neither sealing nor acid cleaning is recommended for any of American Marazzi Tile's glazed ceramic or porcelain tile.

The tile should be thoroughly cleaned of grout after installation (following the grout manufacturer's instructions) to assure ease of maintenance in the future. Tile, whether glazed ceramic or porcelain, should be maintained on a regular and frequent basis to prevent build up of soil, grease, residue, soap detergents, sealers, dampness, liquids, etc., to keep the surface clean and lessen slippery conditions.

Wash Group: One five gallon plastic pail, one deck brush (10 inches wide with two inch bristles) and one mop (rayon).

Rinse Group: A standard mop bucket with a mop wringer and one mop (rayon).

Procedure: Fill the five gallon Wash Group pail with hot water and p.H. neutral liquid cleaner (soapless) in concentrations according to manufacturer's recommendations. Half-fill the Rinse Group mop bucket with clear hot water.

Immerse the Wash Group mop in the five gallon pail of cleaner solution. Working in ten foot by ten foot sections, spread the cleaner solution to cover the ten square foot section. Scrub well with the deck brush.

Following the scrubbing, rinse the area with the mop and water from the Rinse Group. Proceed to the next ten square foot area and repeat these procedures until the floor is cleaned, changing both the wash solution and rinse water frequently as they become dirty.

Limited Warranty Marazzi USA warrants that its first choice ceramic tile is manufactured according to ANSI A137.1-1988 and meets or exceeds these requirements. If a tile is proven to contain a manufacturing defect, Marazzi USA will supply, free of charge, material of compatible color and shade as determined by Marazzi USA. Labor charges are expressly excluded from this warranty.

Marazzi USA makes no warranty as to the suitability of its tile for a particular installation. Marazzi USA does not warrant that its glazed ceramic or porcelain tile will not scratch, chip or show signs of wear.

Marazzi USA or the Marazzi USA Distributor must be notified of any claims or defects as soon as reasonably possible, but in any case, not later than one year after the goods have been delivered by Marazzi USA. This notification must be in writing or sent by certified mail. Claims concerning shade, appearance, caliber, finish or obvious defects in first choice production must be communicated before the tile is installed. No claims will be accepted for tile already installed or for defects in other than first choice material.

Marazzi USA specifically excludes liability for consequential or incidental damages, except where exclusion of consequential damage is not permitted by state law.

This limited warranty shall constitute the full extent of Marazzi USA's liability and is in place of all other warranties, express or implied, including the implied warranty of merchantability and the implied warranty of fitness for a particular purpose.



American Marazzi Tile, Inc.
Headquarters & Manufacturing Plant

359 Clay Road East
Sunnyvale, Texas 75182

T 972.226.0110
F 972.226.5629
www.marazzitile.com
contact@marazzitile.com



Color and other aesthetic features shown are as close as the limitation of the printing process will allow. We have tried to make this brochure as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in colors, materials, packaging, specifications and availability. Since some information may have been updated since time of printing, please check with American Marazzi Tile Customer Service for details.

©07.14 American Marazzi Tile, Inc. Z973 Residential/Commercial Catalog 10.0K - please recycle.